



GOLDEN ANNIVERSARY OF DEPENDABILITY. Fifty years ago two brothers by the name of Dodge built their first motorcar. It was the 1914 Dodge, a car which established a new tradition in the world of automobiles: Dependability. Although a lot has changed in the last fifty years, that same tradition of dependability has been handed down to the 1984 Dodge. The '64 Dodge is designed to the needs of a new and modern age. It is quick, strong, and handsome—its spirit exemplified in the new roofline of the Polara 2-door hardforp, above, just one of the many new things brilliant and exciting in the Golden Anniversal Dodge.

Select what suits you best. Hardtops, sedans, wagons, convertibles; six-cylinder engine or V8's; two doors or four; bucket seats; six-passenger or nine-passenger wagons. Dodge offers them all for '64. Twenty-two handsome models in all, in three distinctly different series. The top of the line, Polara. The popular middle line Dodge 440. And the lowest priced full-size Dodge, the Dodge 330. They call 'em The Dependables... because they are. This catalog will help you to understand why.







# DODGE POLARA SERIES

Polara is the top of the Dodge line. It is a car built for buyers who like a lot of their luxury as "standard equipment." Just read the long list of things that come with Polara. Better yet, see Polara for yourself. Drive it. Once you have, you'll understand why Polara tops everything else in the low-price files.

#### POLARA SERIES: CONVERTIBLE • 2-DOOR HARDTOP • 4-DOOR HARDTOP • 4-DOOR SEDAN

STANDARD ENGINES: 318 cubic-linch W8 (all four models) - 255 cubic-linch Stant-Six (2d rhardlop, sedan only), STLTRAMSMISSIN: 3-speed mount shift, BYTOMAL KININES: 353 cubic-rinch V8 (2-barrel carburetor) - 405 cubic-linch V8 (3d barrel carburetor) - 405 cubic-linch V8 cubic-linch V8 (3d barrel carburetor) - 405 cubic-linch V8 cubic-linch





ALL VINYL UPHOLSTERY AND FOLD-DOWN ARMREST— POLARA HARDTOPS AND CONVERTIBLE

CLOTH AND VINYL UPHOLSTERY, WITH FOLD-DOWN ARMREST (IN UP-POSITION) IN POLARA 4-DOOR SEDAN




POLARA 2-DOOR HARDTOP



POLARA 4-DOOR SEDAN



POLARA CONVERTIBLE





# DODGE POLARA SERIES "500" SPORTS MODELS

This option is offered only on the Polara convertible and 2-door hardtop models. What makes it so special? To begin with: special "500" exterior trim, complete with medallions and special wheelcovers. Inside: all-vinyl bucket seats. Padded dash. There's a brand new center sports console that houses a special vertical selector for Torqueflite automatic transmission—or a floor-mounted shift lever for the 4-speed manual transmission sion—or a floor-mounted shift lever for the 4-speed manual transmission (when the car is equipped with either option). Take your choice of Dodge V8 power. Any one of five Dodge V8s will give you exactly the combination of power, performance and handling you want!

"500" SPORTS OPTION: AVAILABLE AT EXTRA COST ON POLARA CONVERTIBLE AND 2-DOOR HARDTOP (WITH V-8 ENGINE) ONLY


STANDARD EQUIPMENT: Same as all models in Dodge Polara series (please refer to standard equipment listing for Polara Series.)



ALL-VINYL UPHOLSTERY; BUCKET SEATS, CENTER CONSCIE-POLARA '500' HARDTOP AND CONVERTIBLE



POLARA "500" 2-DOOR HARDTOP





# **DODGE 440 SERIES**

There's an American slang term "sleeper," referring to movies and stage shows that discerning audiences "discovered" and made into smash hits. The same thing has happened to the Dodge 440 Series. Here's a line of cars with an uncommon amount of room, power, good looks and luxur, if you've always wanted a hardtop—there's one for you in the 440 Series! (There are also 2 door and 4 door sedans, as well as 4 door wagons!) We wouldn't be so brash to call the '64 Dodge 440 Series "the biggest bargain on wheels." We'll let you discover that for yourself.

#### 440 SERIES: 2-DOOR HARDTOP • 2- AND 4-DOOR SEDANS • TWO 4-DOOR WAGONS

STANDAD PROMES: 38 cubic-inch V8 (all fixe models) - 225 cubic-inch Stant-Six (all models, except vagons). 51 TRANMISSION: Sapeed manual shift, DPTOMAL ENGINES: 338 cubic-inch V8 (2-barrel carburetor) - 426 cubic-inch V8 (4-barrel carburetor) - 426 v8 - 4



DODGE 440 4 DOOR SEDAN





# **DODGE 330 SERIES**

This is the lowest-priced series of standard-size '64 Dodge automobiles. Dodge engineers and stylists, nonetheless, have put a lot into every 330 model. Interiors are made of long-wearing easy-care vinyls and nylonsand color-matched to harmonize with exterior body enamel. Mechanically, and color-matched to narmonize with exterior body enamel. Mechanically, every Dodge 303 is practically identical to higher priced counterparts in the Polara and 440 Series. Every engine option offered on any 1964 Dodge is available on every 330 model. Dodge room, ride, and handling are standard equipment—all yours in Dodge's lowest-priced, full-size models.


#### DODGE 330 SERIES: 2-DOOR SEDAN • 4-DOOR SEDAN • TWO 4-DOOR WAGONS

STANDARD ENGINES: 318 cubic-inch V8 (all models) . 225 cubic-inch Slant-Six (all models). TRANSMISSION: 3-speed manual shift. OPTIONAL ENGINES: 383 cubic-inch V8 (2-barrel carbu-• 426 cubic-inch V8 (two 4-barrel/ram-intake). OPTIONAL TRANSMISSIONS: Torqueflite 3-speed automatic • 4-speed manual, fully synchronized (with 383 or 426 V8 engines only). STANDARD EQUIPMENT: floor mats in color to match interior • vinyl covered visors • dual horns • dome light • oil pressure gauge • glove box lock • cigar lighter • turn signals • armrests, front and rear . Individual ash receivers in both rear seat armrests.



CLOTH AND VINYL UPHOLSTERY-ALL 330 SEDAN MODELS







#### DODGE STATION WAGONS

Beautiful station wagon buys—all in the low-price field! The lower priced Dodge 330 wagons give you a choice of Slant-6 or V8 power. The more luxurious Dodge 440 station wagons offer V8 power all the way. Both series of Dodge wagons are available in 2-seat and 3-seat models. And when it comes to cargo room, there's a grand total of 84 cubic feet of usable space in each of them. Whatever model you choose, you'll get a kick out of the way Dodge performance and luxury put a new lift into your station wagon living. For camping, for carrying, for cruising around town—you get an uncommon amount of room, power and good looks, all at a low price.

#### 330 WAGONS: 2-SEAT AND 3-SEAT MODELS (Gor VB)-440 WAGONS: 2-SEAT AND 3-SEAT MODELS (VB only)

STANDARD ENGINES: 318 cubic-inch V8 (standard on all 8-cylinder station wagons) • 225 cubic-inch Slant-Six (offered on 330 wagons only). STANDARD TRANSMISSION: 3-speed manual shift. OPTIONAL ENGINES: 383 cubic-inch V8 (2-barrel carburetor) • 383 cubic-inch V8 (4-barrel carburetor) • 426 cubic-inch V8 (4-barrel carburetor) • 426 cubic-inch Ramcharger V8 (two 4-barrel/ram intake). OPTIONAL TRANSMISSIONS: Pushbutton Torqueflite 3-speed automatic 4-speed manual, fully-synchronized (with 383 or 426 V8 engines only). STANDARD EQUIPMENT: Floor mats to match interior color (330 models) • full carpeting (440 models) • vinyl-covered sun visors, right and left • dual horns • dome light • oil pressure gauge • glove box lock • cigar lighter • turn signals • armrests, front and rear • individual ash receivers in both rear seat armrests . foam front seat pad and body side two-tone color insert (440 models only).



ALL VINYL UPHOLSTERY DODGE 390 WAGONS



ALL-VINYL UPHOLSTERY DODGE 440 WAGONS

# THEY CALL 'EM THE DEPENDABLES—BECAUSE THEY ARE

Here are some of the reasons why your '64 Dodge will stand up under the hardest use and abuse for years to come.

RUST PROTECTED BODY. Every '64 Dodge goes through a 7-step dip-andspray rustproofing process. Virtually every square inch of the lower body area is generously coated with zinc-rich primers that contribute toward long rustfree body life. In addition, galvanized steel is used in critical moisture areas. Special splash shields under the fenders protect against the accumulation of corrosive materials. Most of the bright exterior trim is made of polished stainless steel, the remainder is bright anodized aluminum-both are rust-resistant materials. Furthermore, Dodge trim is attached with special rustproofed clips to avoid unsightly rust streaks so often seen on other cars.

UNITIZED BODY. The body parts of a '64 Dodge are welded together to form a one-piece tough, tight unit. Unitized bodies cost more to build than the bolted-together kind. But the benefits of unifized construction are greater durability, more pound-for-pound strength and

rigidity-a better body in every way! SELF-ADJUSTING BRAKES. The big brakes (195.2 sq. in. of effective lining) on your '64 Dodge adjust themselves automatically-every time you back up and stop. Dodge brakes last longer, too. The linings are handed-not riveted

32,000 MILES BETWEEN MAJOR GREASE JOBS. To most people, monthly If you will refer to the standard-equipment listings for each Dodge

series, you will discover that a great many little "extras" have already

been included. Listed here are the extras you can choose, as an

HEATER DEFROSTER, VENTILATOR, Pushbutton-operated for convenience.

individual, to tailor your '64 Dodge exactly the way you want it.

**OPTIONS and ACCESSORIES** 

Full-flow ventilation of heated, or outside air.

convertibles.

grease jobs are not only costly-but annoying. With a '64 Dodge, the monthly lube-ritual is a relic of the past.

ALTERNATOR. The alternator's advantage over the old-fashioned generator is simple: It has significantly more electrical output at engineidle and around-town speeds. The alternator helps keep the battery more fully charged for fast starts.

HIGH-SPEED STARTER. There's a distinctive new sound when you turn the ignition key in a '64 Dodge. The real benefit is quicker, surer starts even in foul weather.

SAFETY RIM WHEELS. In case of tire failure, these patented Dodge rims keep the tire safely on the wheel-and give you the control you need

to keep the car on the road while you slow to a stop

AIRFOIL ELECTRIC WINDSHIELD WIPERS. At turnpike speeds, other types of wipers tend to lift away from the glass and become less efficient. Dodge airfoll wipers actually give better wiping performance, because the increased stream of air at high speeds forces the wipers snugly against the glass. You get a clean, safe windshield wiping action! NEW DOOR LOCKS. The locks on your '64 Dodge are stronger and safer. Extensive testing has demonstrated that these new locks remain latched even under severe and adverse strains. As a bonus, the newly designed lock-striker helps prevent clothing snags when entering or leaving the car.

Dodge offers you a choice of four engines for 1964-a Slant-Six and three V8's. All of them will give you smooth, quiet performance-and exceptional gasoline economy for their size. In addition, Dodge also makes available a limited quantity of specially-built competition engines. We frankly recommend these powerplants for all-out per-

Here is a summary of Dodge power for 1964.

STANDARD 225 CUBIC-INCH SLANT SIX. This is the famous Dodge 6 that has the zip of many an 8. Yet, it gives you exceptional gasoline savings.

On regular gas, of course. STANDARD 318 CUBIC-INCH V8. So quiet you can't believe it's running. But don't let the shyness fool you-the Dodge 318 V8 packs more power per pound than most any other V8 around. Yet it uses regular gas, and its stinginess was proven in the Mobilgas Economy Run in

1963, when it won its class hands down. 383 CURIC-INCH VS. WITH 2-BARREL CARBURETOR. This engine optional on all '64 Dodge models. It is one of the hottest production V8's ever built! It takes premium fuel. It gives premium performance.

383 CUBIC-INCH V8, WITH 4-BARREL CARBURETOR. Dual exhausts, hot cam -and a lot more. Optional on all '64 Dodge Models. For the man who wants "extra" performance with a big "E"!

426 CUBIC-INCH VE. WITH 4-BARREL CARBURETOR. "High-Performance" is an understatement for this powerplant. Quite frankly, it is recom-

mended for the performance specialist only. "SPECIAL COMPETITION ENGINE"

428 CUBIC-INCH RAMCHARGER VS, TWO 4-BARREL CARBURETORS AND

SPECIAL RAM-INTAKE MANIFOLD. The official factory designation is "Maximum Performance". This engine delivers exactly that. Its appearance is awesome and impressive. Its performance records, legend, its sale, limited to recognized and qualified competition participants only.

#### TRANSMISSIONS

For 1964, Dodge offers three distinctively different transmissions. Each is designed to fill a particular demand. Please refer to Specifications (facing page) for gear-ratio data.

STANDARD 3-SPEED MANUAL TRANSMISSION. Shifting is quick, smooth, quiet. Significant detail Improvements in both transmission and clutch components for 1964 provide even quieter operation, better acceleration and longer service life.

PUSHBUTTON TORQUEFLITE AUTOMATIC TRANSMISSION. Easiest smoothest live-action. Top gasoline economy. Torqueflite has three speeds Instead of the usual two. Positive-lock parking sprag keeps the car from rolling, when parked. Many auto experts consider it the finest automatic transmission in the business today.

4-SPEED, FLOOR STICK. Standard on 426 V8 (single 4 bbl.), optional on all other Dodge 383 and 426 V8 models.

Four forward speeds, all fully-synchronized. Dodge designed and built for the enthusiast who craves the stimulating performancecontrol of a crashproof 4-speed gearbox. Exceptionally smooth, extremely versatile for quick snap shifts up (or down). Shift lever is floor-mounted.



formance specialists only.

RADIOS. Dodge offers a choice of three transistor radios for 1964. All feature pushbutton tuning. (1) The 2-watt radio, plenty of power for metropolitan areas. (2) The 5%-watt radio to bring in distant stations loud and clear. (3) The new Dodge AM-FM radio, (not available with air conditioning) that adds the fidelity and richness of FM to your motoring pleasure. In addition, an optional Reverberation Amplifier for the rear-seat speaker adds auditorium realism to radio reception. This feature is available on all Dodge models, except wagons and

"500" SPORTS OPTIONS. Available at extra cost on Polara 2-door hardtop V8 and convertible models only. This option includes special "500" exterior trim and super-spinner wheel covers. On the inside, the "500" sports option includes front bucket seats, with a newly-designed center console. This console houses vertical selector for Torqueflite transmission or floor-mounted shift lever with 4-speed manual transmission (when the car is equipped with either option). Padded dash is also included.

POWER ASSISTS. More and more drivers want the convenience of poweroperated components. For 1964, Dodge offers: Power steering and power brakes on all models. Electrical (6-way) seat adjuster and power-operated side windows on Dodge Polara models. Electric tailgate windows are standard on all Dodge 9-passenger wagons, optional on 6-passenger wagons. As a safety feature, power-operated side windows can be operated only when the ignition is turned on. In addition, a special switch on the driver's master window-control console can deactivate all other power-window switches.

CUSTOM AIR-CONDITIONING. Not only cools-but filters air free of dust and pollen, dehumidifies. Degree of cooling and direction of air are fully-adjustable. This unit also provides heating and defrosting.

THE LITTLE EXTRAS that really personalize your Dodge. White sidewall tires-Deluxe Wheel Covers-Bumper Guards (front and rear)-Seat Belts (front)-Padded Dash-Extra Thick Foam Seat Cushion for 330 (front seat), 440 and Polara (rear seat)-Tinted Glass on all windows (or windshield only)-Inside glare proof Mirror-Left hand outside mirror (regular, or remote-controlled)-Variable-Speed Windshield Wipers-Pushbutton Windshield Washers-Electric Clock-Sure-Grip Differential-7.50 x 14 oversize (Wagons, 8.00 x 14) Tires-Undercoating, including fiber glass hood padding-Roof two-tone paint-Backup lights-Parking Brake Warning Light-Glove Box Lamp-Trunk Compartment Lamp-FOR STATION WAGONS: Roof Luggage Rack -Locking Storage Compartment (2-seat wagons only)-Combination Assist Handles and Wind Deflectors-2nd Rear Dome Light.



#### 1964 DODGE SPECIFICATIONS

EXTERIOR DIMENSIONS-Wheelbase, 119" (wagons 116"). Tread, front 59.5"; rear 59.6". Length, overall 209.8" (wagons 210.7"); width 75.0"; height 55.1".

INTERIOR DIMENSIONS-4-door sedan. Headroom, front 39.1"; rear 38.3". Seat height, front 8.1"; rear 11.0". Legroom, front 41.9"; rear 38.1". Hiproom, front 60.8", rear 61.0"

STANDARD ENGINES-225 Slant 6 standard on Dodge 6-cylinder models. Overhead valves, 30° inclined block. 225 cubic inch displacement. Bore 3.40". Stroke 4.125". Compression ratio 8.4 to 1. Single exhaust. Horsepower 145 at 4000 rpm. Torque 215 lbs. at 2800 rpm. Single downdraft carburetor. Coolant capacity (without heater) 12 quarts.

318 V8 standard on Dodge V8 models. Overhead valves, 90° V-type block. 8 cylinders, 318 cubic inch displacement, Bore 3.91", Stroke 3.31", Compression ratio 9.0 to 1. Single exhaust, Horsepower 230 at 4400 rpm. Torque 340 lbs. at 2400 rpm. Dual downdraft carburetor. Coolant capacity (without heater) 20 quarts.

OPTIONAL ENGINES-383 VB. 2 bbl. Optional on all Dodge models. Overhead valves, 90° V-type block, 8 cylinders, 383 cubic inch displacement, Bore 4,25°, Stroke 3.38", Compression ratio 10.0 to 1, Single exhaust, Horsepower 305 at 4600 rpm. Torque 410 lbs. at 2400 rpm. Dual downdraft carburetor. Coolant capacity (without heater) 15 quarts

383 VB, 4 bbl. Overhead valves, 90° V-type block, 8 cylinders, 383 cubic inch displacement. Bore 4.25". Stroke 3.38". Compression ratio 10.0 to 1. Dual exhausts. Horsepower 330 at 4600 rpm. Torque 425 lbs. at 2800 rpm. 4-barrel carburetor. High-performance cam. Dual breaker distributor. Coolant capacity (without heater) 16 quarts.

426 V8, 4 bbl. (High Performance) Overhead valves, 90° V-type block, 8 cylinders, 426 cubic inch displacement, Bore 4.25", Stroke 3.75", Compression ratio 11.0 to 1. Dual exhausts. Horsepower 385 at 5200 rpm. Torque 465 lbs. at 3600 rpm. 4-barrel carburetor. New 2-level intake manifold. High performance cam. Dual-breaker distributor. Coolant capacity (without heater) 16 quarts.

426 Ram Charger Competition V8 (Maximum Performance) Overhead valves, 90° V-type block, 8 cylinders, 426 cubic inch displacement, Bore 4.25°, Stroke 3.75". Compression ratio 11.0 to 1 (optional 13.5 to 1). Dual exhausts. Horsepower 415 at 5600 rpm (425 hp optional). Torque 470 lbs. at 4400 rpm (480 lbs. optional). Two 4-barrel carburetors. Short branch ram intake manifold. Poptop aluminum pistons. High-overlap cam. Hand choke. Coolant capacity (without heater) 16 quarts.

CLOSED CRANKCASE VENTILATION is standard on all Dodge engines. TRANSMISSIONS-3-speed manual standard on all Dodge models. Ratios with

6-cylinder engine 2.95 to 1, 1.83 to 1, 1.00 to 1, reverse 3.80 to 1, Axles 3.31 to 1 (wagon 3.23 to 1).

Ratios with 8-cylinder engines\*, 3.02 to 1, 1.49 to 1, 1.00 to 1, reverse 3.34 to 1. Axle 3.23 to 1\*.

3-Speed Automatic optional on all Dodge models. Pushbutton control (except Polara models with "500" sports option which have vertical selector lever, mounted on floor console). Lever-actuated parking sprag. Water cooled. Ratios for 6-cylinder and V8 models: 2.45 to 1, 1.45 to 1, 1.00 to 1, reverse 2.20 to 1. Axle ratios for 6-cylinder models 2,93 to 1 (optional 3,55); with 318 V8 2,76 to 1 (optional 3.23); with 383 V8 3.23 to 1 (optional 2.76); with 426 V8 (4 bbl.) 3.23; with 426 V8 (two 4 bbl./ram) 3.91 Sure-Grip.

4-speed manual, Dodge designed, available on all Dodge 383 and 426 8-cylinder models. All forward gears are fully synchronized. Shift lever floor-mounted. Ratios 2.66 (low gear), 1.91 (2nd gear), 1.39 (3rd gear), 1.00 (high gear), to 1. Reverse 2.58 to 1. Axle ratios 3.23 to 1 (optional 2.93, 3.55).

\*Except cars equipped with 426 V8 engines.

SUSPENSION-Front: torsion bars and ball joints. Rear: asymmetrical leaf springs (5 leaves, 6 on wapons). Oriflow shock absorbers mounted at each wheel

TIRES-7.00 x 14" rayon black sidewall standard (wagons, 7.50 x 14"), 7.00 x 14" or 7.50 x 14" white sidewall optional at extra cost. Wagons, 8.00 x 14" black or white sidewall, ontinnal,

BRAKES-Hydraulic, self-adjusting, Bonded linings, 195.2 square inches (standard): 234.1 square inches (optional).

ELECTRICAL SYSTEM-12-volt, 6-cell battery. 48 amp. hr. (70 amp. hr. on models powered by optional 383 V8's and 426 V8 Hi-Performance engine; 90 amp. hr. with 426 V8 Maximum Performance engine).

CAPACITIES-Gasoline: 20 gallons (wagon, 21.5).

Oil: 4 quarts on all Dodge models (5 when changing oil filter).

Coolant: (Please refer to various engine specifications).

#### 1964 DODGE COMFORT

There are many different Dodge body styles for 1964-and you can equip them with a seemingly endless array of engines, transmissions and accessories. But all '64 Dodges have Comfort in common. There's nothing stodgy about it. It's honest seating comfort-riding comfort-handling ease. Dodge gives you all kinds of room-for heads, legs, knees and hips. In the front seat and back, With Chair High Seats, Dodge restores dignity and comfort to human beings. These are seats that let you sit up and take notice, or stretch out and relax.

The DODGE RIDE is the finest in the low-price field. Front-end torsion bars soak up shock, bumps, ruts, dips, twists, and turns. They flex with the road as you glide over it. Handling characteristics have been improved in the 1964 Dodge by making the rear wheel-track more than two inches wider. There are a lot of other things that add up to Dodge comfort. Things like the widespread use of special sound deadening materials on the floor, roof and doors. Or the generous-size front and rear dooropenings. The low, narrow Dodge floor tunnel. The easily-read instruments and the conveniently-arranged control knobs and nushbuttons.

1964 Dodge comfort comes to you as standard equipment on every model ... from the lowest-priced 330 to the most lavishlyequipped Polara, Drive a Golden Anniversary '64 Dodge, You'll see what we mean.

The policy of Dodge Division of Chrysler Corporation is one of continual improvement in design and manufacture wherever possible to assure a still finer car. Hence, specifications, equipment, and prices are subject to change without

