

# 1969 CORONET











Coronet 440 sedan

#### GOOD LOOKS. ECONOMY. PERFORMANCE. CORONET HAS MORE OF WHAT YOU BUY A NEW CAR FOR.

Coronet 1969, the story of "Beauty and the Budget." The car that's big for its price.

One look, and you'll climb inside. Then you're hooked! From the moment you take hold of the wheel, Coronet takes hold of you.

The big comfort is all around you, from the foam-padded seats and rich carpeting to the many zippy little personal touches that make Coronet truly your kind of car.

Maybe you're the kind that likes bucket seats,

full power—the works! You've got it in Coronet!


On the other hans, if Coronet makes you think of air scoops," spors-type steering wheel and tachometer"—we've got your number, too.


Best of all—the sicker price on the window. And that's the real Coronet story. Coronet for 1969is a lot of car at a very low price. This year, Dodge s turning up the Fever.

\*Optional, at extra cost.









with any of the 1969 Coronet R/T or Super Bee models.







Coronet Super Bee hardlop



#### "PICK 'N MIX"-THE GAME KIDS CAN'T PLAY

Like fun and games? Try "Pick 'n Mix." The rules are simple. Once you've decided on your 1969 Coronet, you try to buy it with as many options as possible and still stay within your budget.

Coronet gives you so much for your money that everyone who plays "Pick 'n Mix" wins.

So if you're all ready, lay this booklet down flat, extend your index finger. place it under the first option heading... And go to it!









#### **OPTIONS**

Airtung air conditions Automatic speed control Burnet seets, front, all-viryl (Super flow, Tinted windshield 500 Series sedans, wegons and

Center cushion/fold-down arrivest (Drucket seat models)

Clock with automatic regulator (standard on Super Box) Custom color-layed viryl head restraints, front, left and right

Custom-Contact six-way manually adjustable priver's seat; raises, lowers, titts-plus reaving ture and aft-over 100 different positions. instantly (bucket seat models)

Extra-thickness foam-padded front seel. Exact and near tumper givents (front quanton (Deluxe, 440 and Super Bes) Funder-for furn signal indicators Mirror, outside left, remete-control

Mirror, outside right Power brakes, power sheering Power windows Durollops and

. Racto, Music Master AM with -push suttons

Flexible, belief-spieler AAA FM Radio, AM with eight-track stereo tape player and multiple-speaker system.

Roar seet speaker (soupes, hardfook and awtens)

COMFORT and CONVENIENCE Floar window dehapper frommes. hardtops and sedans).

Air acosps (simulated) on quarter

Alb-vinyl sest frim (Deluse and

only available on wagonst

penets (Super Bee and R/T)

Belt mouldings theo-door medels;

standard on 500 and convertibles)

Console with transmission shift control.

bull's eye courboy lamps (bucket

locking map compartment and

seaf convertibles and hardlops)

Door upper frame mouldings (sedans

Pedal dress-up (standard, 500 and RJT)

and wagons; standard on 500)

Door edge protector mountings

Floor mats, color-keyed rubber

Raitye Instrument Cluster with

clock/fach (FUT)

APPEARANCE

440 sections

Shoulder belts, year broupes, hardtops, Sill mouldings (Dahusa) sedens and wagons) Steering wheel with full horn ring and padded tub Tinted windshield and windows Steering wheel, sports-type wood-grain

transmissions, are available only with certain other items of equipment. Your Dodge Dealer will gladly asset you in selecting such thems within their availability

Undercoating and hood insulation (pirrulated) with padded hub (MC). 505; Super Bee and R/T) Windshold wipers, three-speed electric with depressed park Tires, whits sidewall

Tires, Red Line (V8 models; standard on Super flee and R/T).

Two-tone point (Delune, 441, 500) except convertities and wagens-Super Bee and R/T; except.

Road wheels, citromed 14-inch.

Road wheels, cast 15-inch.

Viryl roof-black, white affair, proon antique, or tan bloopes, hardtops, A40 and 500 sedans) Wheel covers, deluse Wheel covers, sleep-dish Wheel covers, map-type

#### PERFORMANCE

363 2-bbl. V8 (Deluse, 440 and 500) 363 4-bbl. VB with dual exhausts. (Deluse, 440 and 500)

405 Hami dual 4-565. VB with unalismos sir cleener, dual exhausts, Rancharger air induction, Rallys Suspension, F20 x 15 Ster-glassbelled wide-fread time and 16 x 6.0.33 wheels (Super Bee and R/T)

**ACCESSORY GROUPS** Parformance pole equipment. Brokes, heavy-duly drum-type-11" x 3" Radio Group includes Music Master AM friend, 11" x 200" rear (Deluve, radio, power steering, three-speed 440 and 500

44C and 500)

Sure Grip differential

am Super Beet.

Roof tuggepe reck

Mandard 3-seet)

Tachonelar (VIII models)

Trailer-Towing Package

Transmission, four-speed manual

with thurst shifter (standard

sutomatic (Deluve, 440, 500, and

Super Bee; standard on R/T)

STATION WAGON OPTIONS

Fower tatgets window Cheest wegons;

Locking stirrage compartment

Teligate window washer/wiper

wigners, remote-control mirror, dolune Disc brakes, front (with V8 engines) wheel covers, sobre-thickness foam-Rattye Suspension with sway for (plandard on Super New and R/T) Firm Ride shock absorbers (Deluve,

padded front sest cushion. (Foem. padding is standard with burilet seets and on 500 models.) The Radio Group is not available with the 405 Hami-Rampharper Air Sonot Hood-engine fresh air induction system (Super

Protection Group includes color-keyell Bee and R/T; standard with Hemili rubber floor mals, bumper guards boar bumper guerds are not available. on wagons), undercoating and hood insulation.

Light Group includes ashtray light, glove box light, map light, year door automatic interior lamp switch, trunk in Transmission, Torquefills three-spend wagon cargo compartment light spection light with time delay and head lamp-on reminder. (Some of these itisms are standard on 500 and R/T.)

> Decor Group (Deluse models only). includes drip rail mouldings, upper door frame moublings (standard on the Deluse roope), center piller mouldings and bell mouldings scoupe only).

Some options, such as Artering air conditioner, automatic speed control, consets, disc press, performance and supplement, tires and wheels of specific designs. Trailer-Towing Package and four-speed



# **SPECIFICATIONS**

#### **DIMENSIONS and CAPACITIES**

(These are 1969 Coronet 4-door-sedan dimensions. Other body styles may vary in some degree.)

Wheelbase	117"
Track, front/rear (six-cyl.)	59.5"/58.5"
Track, front/rear (V8)	
Overall length	206.6"
Overall width	76.7"
Overall height (six-cyl.)	54.5"

Engine crankcase capacity: 4 U.S. quarts; 5 U.S. quarts when replacing oil filter (all engines, except Hemi V8). Hemi V8: 5 U.S. quarts; 6 U.S. quarts when replacing filter. Coolant capacity: 225 Six, 13 qts.; 318 V8, 18 qts.; 383 V8s, 17 qts.; 440 Magnum V8, 18 qts.; Hemi V8, 18 qts. Fuel tank capacity: 20 U.S. gallons (all models, except wagons); 19 U.S. gallons (station wagons only).

#### BRAKES

Hydraulic, servo-contact, self-energizing, with bonded linings. Dual Braking System. Parking brake is foot-pedal-operated, with hand-release lever—mechanically actuating shoes on each rear wheel. Master cylinder/parking brake warning light is standard on all models. Various brake sizes are noted in standard equipment listings. In addition, power brakes are optional on all models, and front disc brakes are optional on all V8-powered Coronet models.

## TIRES

Six-cyl. models	7.35 x 14 (5.0 J wheels)
V8 models	7.75 x 14 (5.0 J wheels)
Coronet R/T and Super Bee	.F70 x 14 wide-tread (5.5 JK)
Hemi V8 cars	.F70 x 15 wide-tread (6.0 JJ)

Other Coronet V8 models can be equipped with F70 x 14 white wall or Red Line wide-tread tires, at extra cost. Fiber-glass-belted tires are available as options in the following sizes: 7.75 x 14 white wall (except wagons); F70 x 14 Red Line (except wagons and all six-cylinder models); F70 x 15 Red Line or white walls.

## SUSPENSION

All Coronet models (except Coronet R/T and Super Bee) have torsion bars and ball joints in front, asymmetrical leaf springs in the rear, and Oriflow shocks at each wheel. Entire suspension is rubber-isolated.

Coronet R/T and Super Bee come equipped with Rallye Suspension, a special Handling Package, which includes: HD torsion bars, Firm Ride shocks, sway bar, and XHD rear springs.

An optional Rallye Suspension Package is offered on all Coronet models, except R/T and Super Bee cars. Package includes: sway bar and HD rear springs. In addition, as a separate option, Firm Ride shocks are also available.

#### **ELECTRICAL SYSTEM**

Battery: 12-volt, 6-cell. 48-amp-hr (225 Six, 318 V8). 59-amp-hr (383 V8s). 70-amp-hr (440 Magnum V8, Hemi V8). Alternator: 37-amp is standard on all Coronet models.

#### TRAILER-TOWING PACKAGE

A Trailer-Towing Package for Dodge Coronet models is required for towing trailers with a loaded gross weight of 2,000 lbs. and not exceeding 4,000 lbs. A frame-type load-equalizing hitch is required for trailers having a loaded tongue-weight of 200 lbs. (Hitch not supplied by Dodge.)

Basic equipment includes: Maximum Cooling System with high-capacity radiator. Large transmission oil cooler. Seven-blade fan. Fan shroud and hood seal. Heavy-duty rear axle, 3.23 ratio. Heavy-duty suspension, front and rear, with sway bar. Special, 11" diameter, heavy-duty brakes (manually adjustable). Heavy-duty turn signal flasher. Heavy-duty stoplight switch.

Wide-rim 5.5 JK wheels.

Trailer-Towing Package is not available on Coronet models with 225 Six or Hemi V8.

The following extra-cost equipment is also required: TorqueFlite automatic transmission; 8.55 x 14 tires on wagons.

Recommended, additional optional equipment for trailer towing: Sure Grip differential. High-output, 46-amp alternator. Heavy-duty, 70-amp-hr battery with rubber separators and battery heat shield. Power brakes. Air conditioning. High-performance engines like the optional 383 (2-bbl.) V8, 383 (4-bbl.) V8. Automatic speed control. Power steering. Front disc brakes.

#### **REAR AXLE RATIOS**

A number of rear axle ratios are offered, at extra cost, with each Coronet engine and transmission team. Standard ratios have been carefully chosen to provide a balance of performance and economy. However, for more specialized applications, your Dcdge Dealer can order your 1969 Coronet delivered with a more suitable ratio.

#### STANDARD SAFETY FEATURES

Hazard Warning System (4-way emergency-flasher) Windshield wipers, 2-speed, electric; parallel action blades with glare-reducing finish

Master cylinder/parking brake warning light

Prismatic, day/night, inside rearview mirror with doubleball-joint safety mount

Manual latch on front seatbacks (2-door models and 4-doors with bucket seats only)

Energy-absorbing steering column and wheel

Safety-Action inside door handles Front shoulder belts, left and right (except convertibles)

Side marker reflectors
Nonoverride door locks
Turn signals
Windshield washers
Retractable front seat belts
Soft knobs on window cranks
Backup lights

Safety-Rim wheels

Padded front seatback
Dual Braking System
Padded instrument panel
Left, outside rearview mirror
Cleaner Air System
Padded sun visors
Rear seat belts
Windshield defrosters

All product illustrations and specifications are based on authorized information. Although all descriptions are believed correct at publication approval, accuracy cannot be guaranteed. Some of the equipment shown on product illustrations is optional, at extra cost. Dodge Division reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors and materials, and to change or discontinue models.

#### displacement/ 225 cid 318 cid 383 cid 383 cid 383 cid 440 cid 426 cid cylinders Six V8 V8 Magnum V8 V8 Magnum V8 Hemi bore x stroke (in.) 3.4 x 4.125 3.91 x 3.31 4.25 x 3.38 4.25 x 3.38 4.25 x 3.38 4.32 x 3.75 4.25 x 3.75 Ш carburetor 1-bbl. 2-bbl. 2-bbl. 4-bbl. 4-bbl. 4-bbl. two 4-bbl. ENGIN compression ratio 8.4:1 9.2:1 9.2:1 10.0:1 10.0:1 10.1:1 10.25:1 exhaust system single single single dual dual dual dual horsepower @ rpm 145 @ 4000 230 @ 4400 290 @ 4400 330 @ 5000 335 @ 5200 375 @ 4600 425 @ 5000 torque (lbs.-ft.) @ rpm 215 @ 2400 340 @ 2400 390 @ 2800 425 @ 3200 425 @ 3400 480 @ 3200 490 @ 4000 fuel recommended regular regular regular premium premium premium premium

