770 PICKUPS BY FORD

F-100/250/350 and 4-WHEEL DRIVE





Ford Pickups work like trucks ...ride like cars

Now, behind one gleaming grille, Ford offers four better-idea pickup models—the Custom, Sport Custom, Ranger and Ranger XLT. Aside from their common bright grille and bumper, each model has distinctive styling inside and out. And these '70 Ford Pickups are full of proven better ideas for solid work and a carlike ride. Exclusive Twin-I-Beam independent front suspension flattens the bumps for really smooth going.



Flex-O-Matic rear suspension (standard on F-250) automatically adjusts to varying loads for a comfortable ride—loaded or light.


Ford's strong, functional design makes the work easier and the truck last longer. Chassis and sheetmetal are designed for on-the-job durability and dependability. Hoods have double-wall sections for extra rigidity. Styleside pickups have all-steel bodies with double-wall side panels and tailgate for optimum strength. Flaresides feature running boards for easy side loading. Ford offers better ideas in specialized models, too. Ford's exclusive Contractor, Heavy Duty, Farm & Ranch and Camper "Specials" are specifically engineered and equipped for their respective tasks.

Ford light-duty trucks come in three basic series: F-100, F-250 and F-350 with maximum GVW ratings of 5,000, 7,500 and 10,000 pounds respectively.




F-100 and F-250 are offered in Styleside and Flareside pickups, chassis-cabs, and with 4 x 2 and 4 x 4 drives. F-350's come in Flareside pickups and single or dual rear wheel stakes and chassiscabs. Custom and Sport Custom models are available in all chassis and body types, while Ranger and Ranger XLT models are available as Styleside pickups and chassiscabs. The complete series and model lineup is shown on page 13.

Ford provides five performanceproven engines to match your needs. Choice of economical 240- and 300cu. in. Sixes or high-performance 302-, 360- and 390-cu. in. V-8's.



Twin-I-Beam Front Suspension softens up the ride, toughens up the truck. Ford's exclusive design has two front axles, each cushioned by a big coil spring, to allow each wheel to roll over bumps independently. This unique suspension absorbs the jolts and jars of rough roads and provides smooth stability on highways. Each front axle is a forged I-beam that's held in place by a rugged I-beam radius rod to control alignment.



Flex-O-Matic Rear Suspension automatically adjusts spring stiffness for varying loads. When the pickup box is empty, Flex-O-Matic provides a long, supple spring (red arrow) to cushion the ride. When a load is added, a compensating shackle pivots into action (blue arrow) to shorten the spring's effective length. Result: a shorter, stiffer spring as load gets heavier. Flex-O-Matic is standard in F-250, comes with optional rear springs in F-100.



Ford's spacious comfort now comes in your choice of four levels of luxury

All Ford Pickups give you the solid comfort of the roomiest cab interior in the industry. Ford's wide, deep-cushioned seats hold three with ease. Attractive upholstery is practical and long wearing. All interiors are color-coordinated with exteriors and feature swept-away, padded instrument panel, energy-absorbing sun visors and armrests (with squeeze door latch handles)

and seat belts. Other standard items include windshield washers, two-speed windshield wipers, day/night mirror, bright LH exterior mirror, backup lights, turn signals, and emergency flasher.

Custom interior trim is standard on the lowest-cost 1970 Ford Pickups and includes (in addition to the items just mentioned) deluxe fresh air heater with 3-speed fan

- · hi-dri all-weather ventilation
- door courtesy light switches ash tray • wedge-type vent window handles • glove compartment with push-button catch • hardboard headlining • black floor mats with heel pads • aluminum scuff plates

- deluxe instrument cluster bezel
- · color-keyed, steel door trim panels
- black, blue, red, parchment or green vinyl seat trim with embossed patterned rib vinyl inserts.
 The Custom's bright grille and chrome front bumper are notable exterior features.

Sport Custom interiors offer (in addition to, or in place of Custom items) deep-foam seat cushion and foam padding in seat back • pleated basket-weave vinyl seat trim inserts • grained vinyl bolsters • color-keyed, pleated vinyl door panels with bright moldings • color-keyed floor mats • cigarette lighter • horn ring. Exterior trim includes bright





CUSTOM PICKUP INTERIOR

windshield, rocker panel and wheel lip moldings. Stylesides have bright taillight bezels and tailgate applique. Ranger Styleside pickup and chassis-cab interiors include (in addition to, or in place of Sport Custom features) woodtone instrument panel trim • bright headlining retainer molding • color-keyed pleated vinyl door panels with bright moldings and woodtone inserts

· bright seat-pivot arm covers

 Ranger plaque on glove box door. Exteriors feature bright side, rear window and roof rail drip moldings and hub caps. Stylesides include bright tailgate latch handle and full tailgate panel. Rocker panel and wheel lip moldings are optional.

Ranger XLT Stylesides and chassis-cabs offer the highest-style

appointments in the industry. Inside -in addition to, or in place of Ranger equipment-pleated cloth and vinyl seat upholstery . colorkeyed wall-to-wall carpeting · special weather and sound insulation . convenience group (cargo and engine compartment lights, glove box door lock, 12-inch day/ night mirror) . sound-absorbing perforated headlining . bright instrument panel molding on right side and heater modesty panel with woodtone insert. Exterior Styleside decor includes bright side moldings with woodtone inserts, bright rocker panel and wheel lip moldings, and woodtone tailgate panel.






Ford Heavy Duty Special

- · Heavy-duty front springs
- Heavy-duty battery
- Heavy-duty alternator
- Ammeter
- Oil pressure gauge
- Sturdy rear step bumper
- Dual bright Western swinglock mirrors
- "Heavy Duty Special" insignia

For tires and rear springs to match your load, see table on back cover.

Six-Man Crew Cabs are available on Ford F-250 (4 x 2 and 4 x 4), F-350 and F-600 models. Two full-width



seats accommodate six big men in roomy comfort, and four big doors allow easy entry. Crew cabs are a convenient way to transport your personnel and all their tools to the job in a single vehicle. Crew cabs are offered with 6½-ft. or 8-ft. Styleside and Flareside pickup bodies, or as chassis-cabs with a wide choice of custom-tailoring options.

Electric Power Pak provides regular household current (110/120 volts) for your electric tools right on the job site. This underhood 2500-watt generator set is driven by its own one-cylinder, 5½-hp air-cooled engine. Ford's optional Electric Power Pak is very handy for those in need of on-the-job portable electrical power for a wide variety of power tools, and for camping.



Ford Camper Specials...the finest foundation on wheels

Ford, America's recreation vehicle leader, offers specific Camper Special packages to provide a sound, economical foundation for today's popular camper bodies. Ford Camper Specials include the basic components necessary for more reliable transportation and more camping enjoyment. Features include a new sliding rear window that allows convenient communication between cab and camper.

A special wiring harness has 12-volt, 7-wire sealed cable for camper interior and exterior lighting. And Ford offers a vast range of utility, comfort and convenience options including auxiliary 25-gallon frame-mounted fuel tank for a combined total of 44.5 gallons, power steering, power front disc brakes, and many more options shown on pages 14 and 15.

F-250 Camper Special is designed to carry popular 11-ft. pickup or chassis-mounted campers. F-250's feature Ford's exclusive Flex-O-Matic leaf-spring rear suspension. This Ford better idea combines with famous Twin-I-Beam front suspension to give a smooth, yet stable, ride. Flex-O-Matic adjusts automatically to load or no-load



Distinctive new Camper Special insignia



Electric Power Pak 2500-watt, 110/120 volt



conditions, and therefore gives the same fine ride even when the camper body is removed.

F-350 Camper Special is available in a broad choice of luxury levels from the Custom to Ranger XLT in chassis-cab models. Strong, smooth riding heavy-duty Twin-I-Beam front suspension standard. 135-inch wheelbase models handle up to 12-tt. campers. The long 159-inch wheelbase chassis-cab F-350 with dual rear wheels has GVW ratings up to 10,000 lb. for chassis-mounted cabover campers up to 14 feet long. Complete Camper Special equipment is shown at right.

Optional 110/120 volt, 2500-watt Electric Power Pak (shown at top left) provides electric current wherever you camp. Unit is driven by its own 51/2-hp air-cooled engine.

F-250/350 CAMPER SPECIAL PACKAGE (Pickups & Chassis-Cabs)

Camper Special Package Includes:

- Sliding rear cab window (F-250 only)
- · 70 amp-hr battery
- Oil pressure gauge
- Ammeter
 Bright 6"
- Bright 6" x 10" western long arm mirrors
- Extra cooling package
- · Camper wiring harness*
- Dual electric horns (except with Power Pak)
- . Rear shock absorbers for F-350
- "Camper Special" emblem


*Includes 12-volt 7-wire (identified) sealed cable without connectors for camper body interior and exterior lighting.

MINIMUM OPTIONAL EQUIPMENT REQUIRED

This chart shows the GVW and minimum equipment required for the Camper Special Package. The equipment shown does not necessarily represent the maximum equipment obtainable and in many cases additional optional equipment is available for maximum Camper loads and applications.

| GVW (Ib.) | F-3 | 250 | F-350 (SR) | F-350 (DR) | |
|-----------------------|---------------------------------------|--|--|--------------------------------------|---|
| | 6900 | 7500 | 8000 | 9000 | 10,000 |
| Engine | 300 Six or V-8 | | V-8 | V-8 | V-8 |
| Transmission | 4-Spd. or Cr | ulse-O-Matic | 2000 | of the same of | The second second |
| Alternator | 55 Ampere | 55 Ampere | 55 Ampere | 55 Ampere | 55 Ampere |
| Brake Equipment | _ | | | Power | Power |
| Springs (lb.) Front | 1175 w/Six; | 1250 w/V-8 | | | State of the last |
| Rear Aux. | 1950* | 2450 | 2400 | 3200 | 3200 550 |
| †Tires: Front Rear | 8.00x16.5 6PR 8.00x16.5 10PR or | 8.75x16.5 10PR= 8.75x16.5 10PR= or | 8.75x16.5 10PR* 8.75x16.5 10PR* or | 8.00×16.5 8PR 8.00×16.5 8PR or | 8.00x16.5 8PR 8.00x16.5 10PR |
| Front Rear | 7,50x16 6PR 7,50x16 8PR | 7.50x16 6PR 7.50x16 10PR | 7.50x16 6PR 7.50x16 10PR | 7.50x16 6PR 7.50x16 6PR | 7.50x16 6PR 7.50x16 6PR |
| Max. Camper Length | 11 ft. w, | /131″ Wb. | 11 ft. w/ 135" wb. 12 ft. w/ 159" wb. | | 135" wb. 159" wb. |

*2450-(b, required for trailer towing, fincludes 12" x 2½" brakes for F-250, Disc front brakes available F-250 and F-350. ■9.50 x 16.5 8PR recommended. (SR)=Single rear wheels (DR)=Dual rear wheels





Ford's dependable 4-wheel-drive F-100 and F-250 pickups

Rugged Ford 4-wheel-drive pickups have the power and traction needed to come through on tough off-road work. Your power choice runs from thrifty 240- and 300-cu. in. Sixes to the big 360-cu. in. V-8... sure power to handle a multitude of jobs with all-wheel-drive traction and the special power-take-off-driven equipment that can be added.

Ford F-Series 4 x 4's are designed

and built with the ground clearance and sturdy components needed to tackle tough terrain. Cardan universal joints at the front wheels provide an even flow of power to the wheels in all turning positions. Shifting from two- to four-wheel direct, without the need to stop or clutch, maintains momentum and keeps you going through the bad spots. Optional free-running front hubs eliminate front differential drag when operating in two-wheel drive. Ford 4 x 4's are available as Styleside and Flareside pickups and chassis-cabs. F-250's are also offered with stake bodies.

F-100 4 x 4 (max. GVW 5,600 lb.) has Ford's exclusive Mono-Beam front suspension with coil springs, forged radius rods and a steering linkage shock absorber for smooth, stable ride. Single-speed transfer case with 4-speed transmission is standard.

F-250 4 x 4 (max. GVW 7,700 lb.)
has greater capacity for heavier
loads. Strong front suspension
has long, resilient leaf springs with
lubrication-free shackles. Standard
2-speed transfer case and 3-speed
transmission provide proper gearing
for most operations; 4-speed
transmission is optional.



Versatile Ford F-350's, the biggest trucks with Twin-I-Beam smoothness

Big Ford F-350 dual rear tire chassis-cabs are the largest trucks to offer exclusive Twin-I-Beam riding smoothness. Ford's heavyduty Twin-I-Beam front axles provide a full 3,800 pounds' capacity. The F-350 offers a maximum GVW rating of 10,000 pounds. Long 135- and 159-inch wheelbases (60-

and 84-inch CA's) provide a choice of body lengths up to 12 feet.

Ford's full long-conventional cab with 105.7-inch BBC gives extra driver comfort and room. And its broad alligator hood opens wide for easy access to the spacious engine compartment. Maintenance time and expense are kept down because everything's within easy reach and handy to work on.

The F-350's big truck capacity and low loading height make it a popular choice for 9- to 12-ft. stake or van bodies. Chassis-cowl or chassiswindshield models and 9-ft. Flareside pickups are also available. The Ford F-350 offers a choice of four engines to match your power requirements. Economical 240- and 300-cu. in. Sixes and high-performance 360- and 390-cu. in. V-8's provide a power range of 150 to 255 horsepower. Four-speed transmission is standard, SelectShift Cruise-O-Matic is optional for fully automatic or manual shifting. A large selection of big-truck options allows complete job-right tailoring.

Ford F-350's are the hefty hauling, smooth riding way to speed deliveries or enjoy big camper-body recreation conveniences.

Choose the Ford body that best fits your job requirements



Styleside one-hand tailgate latch



Double-wall section hood strength




Convenient one-hand hood latch




Handy Flareside running board




Styleside Spacious Styleside pickups, available in 6½- and 8-ft, lengths, have sleek body panels extending all the way forward to hug the rear cab corners. The pickup box features strong, double-wall side-panel construction, a sturdy tailgate that can support a ton, flattop wheelhousings, deep stake pockets, and an all-steel floor. A convenient center latch allows one-hand opening of the tailgate. Steel support straps hold tailgate in open position. See the table at right for box dimensions.



Flareside Flareside pickups come in 6½-, 8- and 9-ft. lengths. Body construction includes running boards between cab and fenders for easy side loading and seasoned hardwood floorboards with steel skid strips. Rubber-covered, forged-steel chains support tailgate when open, toggle-type latches maintain tight seal when the tailgate is closed. Heavy-gauge steel side panels with flared top have rolled edges for greater strength and rigidity. Dimensions are shown in table at right.







| BODY AVAILABILITY AND CARGO AREA DIMENSIONS | | | | | | | | |
|---|-------------------------|--|----------------------------------|--|-------------------------------------|--|-----------------------------|--|
| SERIES | Wheel- base (in.) | Nominal Cargo Box Length (ft.) | Inside Length (in.) (A) | Width Between Wheel- housings (In.) (B) | Tailgate Opening (in.) (C) | Inside Depth at Sides (in.) (D) | Cargo Cap'y (cu. ft.) | |
| STYLESIDE | PICKU | PS | | | | | | |
| F-100 | 115 131 | 6½ 8 | 78.2 98.2 | 49.0 49.0 | 65.0 65.0 | 19.30 19.30 | 60.3* 76.4* | |
| F-250 | 131 | 8 | 98.2 | 49.0 | 65.0 | 19.30 | 76.4* | |
| FLARESIDE PICKUPS | | PS | | Secretary of the second | Walter S. | | 1000 | |
| F-100 | 115 131 | 61/2 | 77.9 96.0 | 49.0 48.4 | 49.0 54.0 | 20.3 | 45.0 65.4* | |
| F-250 F-350 | 131 135 | 8 9 | 96.0 108.1 | 48.4 48.4 | 54.0 54.0 | 22.1 | 65.4° 74.0° | |
| STAKE OR | PLATFO | RM | | | Maley | STATE OF | | |
| F-250 | 131 | 71/2 | 90.0† 93.4‡ | = | 73.7† 79.3‡ | 28.3 | - | |
| F-350 | 135 | | 106.01 | - | 82.1† 87.31 | 31.2 | - | |
| | 159 | 12 | 142.0† 145.4‡ | - | 82.1† 87.3‡ | 42.0 | | |
| Allowance made for wheelhousings 15take 1Pfatform | | | | | | | | |


STYLESIDE PICKUP FLARESCE PICKUP

F350

CHASSIS-COM. STAKE PLATFORM CAMPER SPECIAL

Chassis-cab models are offered for vans Chassis - Cab and special-purpose bodies. Frame rails are straight and parallel behind cab, except for a slight kickup over the rear axle, for easy body installation and low loading heights. Chassis-cowl and chassis-windshield models are also offered on F-350 Series. Chassis-windshield on F-250.

| CHASSIS-CAB DIMENSIONS (in.) | | | | | | | |
|-------------------------------|-------|-------|-------|-------|-------|--|--|
| | F-100 | | F-250 | F-350 | | | |
| Wheelbase (WB) | 115 | 131 | 131 | 135 | 159 | | |
| Back of cab to rear axle (A) | 40 | 56 | 56 | 60 | 84 | | |
| Rear axle to end of frame (B) | 36.8 | 40.6 | 40.6 | 38.5 | 47.5 | | |
| Frame to ground ht.—empty (C) | 25.9 | 25.8 | 27.7 | 27,6 | 27.2 | | |
| Overall length (D) | 182,5 | 202.3 | 202.3 | 204.2 | 237.2 | | |



00 WB 100 WB

dress.

SERIES F-100 Choose the HEAVY DUTY SPECIAL truck for STYLESIDE PICKUP your job from Ford's -FLARESIDE PICKUP long, strong -CHASSIS-CAB line SERIES STAKE PLATFORM 4000 quedas-CHASSIS-WINDSHELD F-250 FARM & RANCH SPECIAL CONTRACTOR SPECIAL HEAVY DUTY SPECIAL CAMPER SPECIAL FLARESIDE PICKUP -SERIES CHASSIS-WINDSHIELD



Popular Ford options

Ford has better ideas when it comes to unique custom-tailoring options, too! Enjoy greater driving comfort and convenience . . . greater truck versatility and productivity by choosing from this wide range of useful options.

 Convenience group (standard on Ranger XLT) includes cargo area light, inside 12-inch day/night mirror, glove box door lock and an engine compartment light. 2. Remotecontrol outside mirror for driver's door

provides simple adjustment from inside the cab. 3. Sliding rear window is attractive, lockable and weather-sealed. Center panes slide to provide a convenient 101/2" by 20" opening (standard on F-250 Camper Special). 4. Electric Power Pak, a unique underhood 2500-watt generator set, provides regular household power (110/120 volts) right on your job for electrical tools and camping equipment. Unit is driven by its own one-cylinder, 51/2-hp air-cooled engine, 5. Bucket seats with foam-padded cushion and back add a car flair to Sport Custom, Ranger and Ranger XLT models. Attractive all-vinyl parchment seat trim. Carpeting and back panel covering are included. 6. Mag-style or conventional wheel covers are available for 15-inch wheels.

7. Styleside spare tire carrier located inside the cargo box (right or left side) provides convenient mounting. Flareside spare tire carrier is outside box and ahead of the left rear fender. 8. Western-type mirrors are offered with long arm or swing-lock supports. 9. Auxiliary 25-gallon fuel tank is frame-mounted and available in place of or in addition to the standard 19.5-gallon in-cab tank (21.8 gal, and 18.5 gal, capacity with fuel evaporative control system), 10. Rear step bumper for Styleside model is reinforced with center plate, 11. Lockable in-cab stowage compartment behind the seat provides a convenient weatherproof area for tools, cameras, hunting equipment. Lower section is divided by a partition that may be














| ENGINE SPECIFICATIONS | 240 SIX | 300 SIX | 302 V-8 | 360 V-8 | 390 V-8 |
|-------------------------------------|------------|------------|------------|-------------|-------------|
| Max. Gross hp @ rpm | 150 @ 4000 | 165 @ 3600 | 205 @ 4600 | 215 @ 4400 | 255 @ 4400 |
| Max. Gross Torque (lbs-ft @ rpm) | 234 @ 2200 | 294 @ 2000 | 300 @ 2600 | 327 @ 2600 | 376 @ 2600 |
| Bore and Stroke (in.) | 4.0 x 3.18 | 4.0 x 3.98 | 4.0 x 3.0 | 4.05 x 3.50 | 4.05 x 3.78 |
| Compression Ratio (to 1) | 9.2 | 8.8 | 8.6 | 8.4 | 8.6 |



removed to give a single 64-inch wide compartment. Optional frame-mounted 25-gal, fuel tank in place of standard in-cab tank is required, 12. Contractor boxes, on both sides of 8-ft. Styleside pickup, provide convenient tool storage. Fold-down doors are lockable, and boxes measure 80% in. long, 16 in. high and 131/4 in. deep (included with Contractor Special). 13. Black textured painted roof includes bright belt and drip moldings. 14. Push-button AM radio has transistors for greater reliability. 15. Air Conditioner includes standard fresh air heater in an integral unit to give year-round comfort in all types of climates, Unit dehumidifies and can keep the cab 30° cooler on a scorching 110° day. 16. Tool stowage box for 8-ft. Style-

sides is located in right pickup box skirt. This Ford option has a flush-mounted door with lock for safe, easy-to-reach storage. 17. SelectShift Cruise-O-Matic gives you both fully automatic and manual shifting, "Second Hold" feature permits better control going up or down hills. Other popular options include: Power steering (N.A. 4 x 4's) . Power disc front brakes (F-250 and F-350) . Ammeter and oil pressure gauge . Styleside body moldings . Bright hub caps for 4 x 2 models with single rear wheels . Chrome contour rear bumper for Stylesides . Painted channel rear bumper for Flaresides . Tinted glass all around . Shoulder harness . Dual electric horns . Heavy-duty black vinyl seat trim . Free-running front hubs for 4 x 4's Oil-bath engine air cleaner
 Velocity-type engine governor . Vacuum brake booster (N.A. 4 x 4's)

Performance proven Ford Engines

The Ford V-8 performance lineup begins with the low-cost 302-cu, in. V-8 (F-100) that's extra easy on gas, and goes up to the big 360- and 390-cu. in. V-8's. These proven performance leaders provide sure pulling power and spirited response when you want it. Also offered for outstanding economy is the big 300cu. in. Six. Specifications for these engines, as well as the 240-cu. in. standard Six, are listed in the chart above. All Ford engines have a thermostatically controlled hot and cold air intake system for quicker warm-ups and greater economy. Closed crankcase ventilation and exhaust emission control systems are standard.

Ford's Diamond Lustre Paint and Two-Tone Options


Standard Colors: Raven Black, Wimbledon White, Norway Green, New Lime, Boxwood Green, Candyapple Red, Royal Maroon, Mojave Tan, Yucatan Gold, Pinto Yellow, Diamond Blue, Reef Aqua, Sky View Blue, Harbor Blue, Chrome Yellow, Pure White.

A total of 48 different two-tones for chassis-cabs are available with standard colors (except Chrome Yellow and Pure White). Wimbledon White may be used as the accent color for all colors (except Diamond Blue, Chrome Yellow and Pure White) and Raven Black may be used for all except Diamond, Sky View and Harbor Blue. Consult your Ford Dealer for the other accent color combinations to complete the 144 different ways the Styleside models may be painted. Two-tone applications are as follows:

Regular: The accent color is applied to the roof and upper back panel with a belt line molding from door to door around back of cab.

Deluxe (Styleside pickups only): The accent color is applied to the area below the body side and lower tailgate moldings which are included in this option.

Combination (Styleside pickups only): Regular and Deluxe twotone options are combined with the accent color applied as specified above for these two options.



A GUIDE TO PICKUP PAYLOADS*

| Box length | Desired load | Model | Required rear springs | Required tires | GVW ratings (lb.) |
|------------|--------------|-------|-----------------------------|-------------------|----------------------|
| 6½ ft. | 1025 lb. | F-100 | 950 lb. | G78-15 B (4PR) | 4500 |
| | 1475 lb. | F-100 | 1250 lb. | 8.25 x 15 D (8PR) | 5000 |
| 8 ft. | 900 lb. | F-100 | 950 lb. | G78-15 8 (4PR) | 4500 |
| | 1350 lb. | F-100 | 1250 lb. | 8.25 x 15 D (8PR) | 5000 |
| | 2300 lb. | F-250 | 1650 lb. | 8.00 x 16.5 8PR | 6100 |
| | 3050 lb. | F-250 | 1950 lb. | 8.00 x 16.5 10PR | 6900 |
| | 3600 lb. | F-250 | 2450 lb. | 8.75 x 16.5 10PR | 7500 |
| 9 ft. | 2425 lb. | F-350 | 1700 lb. | 8.00 x 16.5 8 PR | 6600 |
| | 3725 lb. | F-350 | 2400 lb. | 8.75 x 16.5 10PR | 8000 |

Up to 6050-lb, body and payload allowances are available in Ford F-350 dual rear wheel models with a maximum GVW of 10,000 pounds.

*Rear spring and lire size requirements are the minimum components needed for rated payloads. Additional heavy-duty components or some of the various performance or convenience options (V-8 engines, automatic transmission, air conditioner) may be desirable for your job. The extra weight of any added components reduces payload accordingly. For Platform-Stake and 4 x 4 payloads and further assistance in selecting the right vehicle and equipment for your needs-see your Ford Dealer.

Specifications

| EQUIPMENT | F-100 | F-250 | F-350 | F-100 (4 x 4) | F-250 (4 x 4) | | | |
|--|--|---|---------------------------|-----------------------|----------------------|--|--|--|
| Maximum GVW | 5000 lb. | 7500 lb. | 10,000 lb.* | 5600 lb. | 7700 lb. | | | |
| Axle, Front: Type | Twin-I-Beam | Twin-I-Beam | Twin-I-Beam | Full-floating, Drive | Full-floating, Drive | | | |
| Capacity | 2750 lb. | 3000 lb. | 3800 lb. | 3000 lb. | 3000 lb. | | | |
| Optional Capacity | - | | CONTRACTOR OF THE PARTY | | 3500 lb. | | | |
| Axle, Rear: Capacity | 3300 lb. | 5200 lb. | 7400 lb. | 3300 lb. | 5200 lb. | | | |
| Ratios (to 1) | 3.70, 3.25, 3.50, 4.11 | 4,10, 3,54, 3,73, 4,56 | 4.56, 3.73, 4.10, 4.88 | 3.70, 3.50, 4.11 | 4.10 | | | |
| Optional Limited-Slip* Diff. Capacity | 3300 or 3600 lb. | 5200 lb. | 7400 lb. | 3600 lb. | 5200 lb. | | | |
| Ratios (to 1) | 3.25, 3.50, 3.70, 4.11 3600-3.25, 3.50, 4.09 | 3.54, 3.73, 4.10, 4.56 | 3.73, 4.10, 4.56 | 3.50, 4.09 | 4.10 | | | |
| Brakes, Service: (Self-adjusting) Front | 111/ip" x 3" | 12% " x 2" | 12" x 3" | 11" x 2" | 12% x 2" | | | |
| Rear | 111/12" x 21/4" | 12%" x 2" | 12" x 3" | 115/ar" x 25/4" | 12" x 256" | | | |
| Optional Vacuum Booster | 9" dia. | 9° dia. | 9" dia. | | | | | |
| Optional Brake Size | - | 12" x 256"+ | Front Disc | I to the second | - | | | |
| Clutch: Dia. (in.)-Area (sq. in.) | 11-123.76 | 11-123.76 | 11-123.75 | 11-123.7 | 11-123.7 | | | |
| Electrical: 12-Volt Battery | 54 plates-45 amp-hr | 54 plates-45 amp-hr | 54 plates-45 amp-hr | 54 plates-45 amp-hr | 54 plates-45 amp-h | | | |
| Optional Battery | 66 plates-70 amp-hr | 66 plates-70 amp-hr | 66 plates-70 amp-hr | 66 plates - 70 amp-hr | 66 plates - 70 amp-h | | | |
| Std. Alternator | 38 amp., 570 watt | 38 amp., 570 watt | 42 amp., 630 watt | 38 amp., 570 watt | 38 amp., 570 watt | | | |
| Opt. Alternator | 42, 55 or 65 amp. | 42, 55 or 65 amp. | 55 or 65 amp. | 42, 55 or 65 amp. | 42, 55 or 65 amp. | | | |
| Engine: Displacement | 240 Six | 240 Six | 240 Six | 240 Six | 240 Six | | | |
| Optional | 300 Six, 302 V-8,360 V-8, 390 V-8 | 300 Six, 360 V-8, 390 V-8 | 300 Six, 360 V-8, 390 V-8 | 300 Six, 360 V-8 | 300 Six, 360 V-8 | | | |
| Frame; Section Modulus (Short wb.) | 2.98 | 3.89 | 5.58 | 3.71 | 5.58 | | | |
| (Long wb.) | 3.05 | The second of the second of the second of | 7.84 | 4.14 | | | | |
| Shock Absorbers: (Double-acting) | Front & Rear | Front & Rear | Front | Front & Rear | Front & Rear | | | |
| Optional | HD Front & Rear | HD Front & Rear | Rear, HD Front | HD Front & Rear | HD Front & Rear | | | |
| Springs, Front: Cap'y. (lb.) (w/Sixes-w/V-8's) | 1065-1175 | 1055-1175 | 1365-1455 | 1125-1250 | 1200-1200 | | | |
| Optional | 1175-1250 | 1175-1250 | _ | - | _ | | | |
| Springs, Rear: Capacity (s. Pad (lb.) | 950 | 1650 Flex-O-Matic | 1700 | 1250 | 1700 | | | |
| Optional Main | 1250, 1650 Flex-O-Matic | 1950, 2450 Flex-O-Matic | 2400, 3200 | 1650 | 2400 | | | |
| Optional Auxiliary | 420, 365 | 420 | 550, 900 | | 550 | | | |
| Steering: Type | Recirculating Ball | Recirculating Ball | Recirculating Ball | Worm & Roller | Worm & Roller | | | |
| Optional | Integral Power | Integral Power | Integral Power | - | - | | | |
| Transfer Case: Type | | | | 1-Speed | 2-Speed | | | |
| Transmission: Type | 3. Speed Fully Synchronized | 3-Speed Fully Synchronized | 4-Speed | 4-Speed | 3-Speed | | | |
| Optional Optional | | 4-Speed & Cruise-O-Matic | Cruise-O-Matic | 4-specs | 4-Speed | | | |
| Wheels: Type—Rim size | 5-hole—5.5K | 8-hole—6.0 | 8-hole-6.0 | 5-hole—5.5K | 8-hole5.0 | | | |
| Tires: Tubeless | G78-15 B(4PR) PT | 8.00 x 16.5 8PR | 8.00 x 16.5 8PR | G78-15 B(4PR)PT | 8.00 x 16.5 8PR | | | |
| Optional | Granto B(4PR) PT | | | | 1 0.00 X 10.0 or n | | | |
| Optional | Both tubeless and tube-type in sizes to match GVW requirements | | | | | | | |

*8000 lb. w/single rear tires | Front disc brakes also available | \$2-speed w/Overdrive available F-100 | \$11½ dia. clutch PT = passenger type—all others are truck-type tires. Use adequate tires for loads and type of service. Consult your Ford Dealer.

Specifications, descriptions and illustrative material contained herein were as accurate as known at the time this publication was approved for printing. The Ford Division, Ford Motor Company reserves the right to discontinue models at any time or change specifications or design without notice and without incurring obligation. Specifications are applicable to units sold in the United States, its territories and possessions and may vary outside these areas. Some of the vehicle colors and paint combinations illustrated are special order options only. All options and accessories illustrated or referred to as optional or available in this publication are at extra cost. For the price of the model with the equipment you desire or verification of specifications contained herein, see your Ford Dealer.

