# 97/3 FORD PACUPS





The closer you look, the better we look . . . and the '76 Ford gives you more than ever to take a closer look at! In addition to the regular pickup, you should look into SuperCab pickups and new F-150 Heavy-Duty ½-ton 4 x 4's that run on regular gas.

Choice of cabs. Regular Cab... the roomy 3-passenger pickup with full-width front seat and in-cab storage space behind the seat. SuperCab... the double-duty 2-door pickup that can seat a family of six. SuperCab provides 44 cu. ft. of in-cab cargo area behind the front seat, optional rear bench seat or jump seats. Crew Cab... the 4-door pickup that seats 6 big adults. Choice of luxurious comfort. All Ford pickups—Regular Cab, SuperCab and Crew Cab—are spacious and comfortable with a seven-inch-thick full-foam front seat cushion standard. Ford pickups are available as value-packed Customs, distinctive Rangers and top-of-the-line Ranger XLT's. Whichever model you choose, a gleaming new grille and chrome front bumper are standard. Ford's exclusive Twin-I-Beam front suspension is standard for strength and smooth riding comfort.

Choice of engines. The thrifty 300-cu. in. Six is now standard in most series, and you have a wide choice of V-8's ranging from the 302—the smallest V-8 any pickup offers—up to 460 cubic inches (see page 15). Engines feature "breakerless" Solid State Ignition system—standard.

Choice of options. Ford offers wide range of options. See pages 14 and 15. Choice of series and bodies. Ford light-duty trucks are offered in four series—F-100, F-150, F-250 and F-350—with GVW's up to 10,000 pounds. They are available in Styleside and Flareside pickups, Chassis-Cabs and Stakes. Cab and body availability are shown on pages 10 and 11.

Recreation vehicles—like Super Camper Specials—shown on pages 12 & 13.

New choice of 4 x 4's. Now! The F-150, a Heavy-Duty half-tonner that runs on regular gas, is available with 4-wheel drive. Like the F-100, it features Ford's exclusive Mono-Beam front suspension with full-floating front axle, coil springs, forged-steel radius rods and track bar for ruggedness and ride. Power disc/drum brakes and a steering linkage shock absorber are also standard. The heavy-duty F-250 (7700-lb, max. GVW) also runs on regular gas and has HD springs with 3550-lb, front axle.

Full-time 4-wheel drive with SelectShift Cruise-O-Matic transmission, power steering (integral-type F-100 and F-150), and many more options are available.

	SERIES-FUEL C	HART		
SERIES	GVW RANGE	USABLÉ FUEL		
F-100*	4600 to 5700 lb.	unleaded		
F-150*	6050 to 6400 lb.	regular or unleaded		
F-250*	6200 to 8100 lb.	regular or unleaded		
7.555	2250 to 10 000 lb	regular or unlanded		

Ranger XLT Regular Cab with 4-wheel drive

ILLUSTRATIONS: Ranget XLT Tu-Tone paint, Bodyside Accent Tape Panel, bright lose-mount Swing-Lok mirrors, wheel covers, whitescall tires, auxiliary fuel tank, and chrome tear bumper. Ranger XLT (below) has optional whitewall tires and rear bumper. Ranger XLT SuperCab has optional Tu-Tone paint, schilewall tires, rear bumper, lip-open side windows and radio, Custom Crew Cab has radio and lose-mount Swing-Lok mirrors. Ranger XLT 2-door Regular Ca Ranger XLT 2-door SuperCab Custom with 4-door Crew Cab



The Custom

## LONG-WEARING LUXURY

Ford Regular, SuperCab and Crew Cab pickup interiors provide spaciousness, comfort and quiet, On most models, the gas tank is mounted outside the cab between the frame rails. The result? The cab is quieter than ever and you gain room. The big, roomy Ford cabs also provide for storage behind the seat in Regular Cabs. The seat has five inches (four inches Crew Cab) of foreor-aft front seat travel to accommodate tall or short drivers. The full-width seat holds three big adults with

plenty of hip and shoulder room. And seven inches of soft, resilient foam

in the seat cushion plus five inches in the seat back provide solid seating comfort. Seats are covered with attractive, long-wearing upholstery. Doors are finished with handsome molded panels with integral armrests. And Ford interiors are carefully colorcoordinated with exterior paint colors. Roomy Ford cabs are extra quiet, too, because of special

Custom trim level is standard, and features deluxe fresh air heater/defroster (high-output heater with SuperCab) • tinted glass • energy-absorbing sun visors and instrument panel padding . instrument cluster with green back-lighting . keyless locking doors . color-keyed molded door panels with integral armrests and paddle-type door handles seat belts with outboard retractors
 windshield

insulation designed to reduce noise.

washers . two-speed windshield wipers . dome light with door courtesy light switches . ash tray · large glove compartment with push-button latch · sponge-grain head-

lining • black rubber floor mat • door scuff plates · black, tan, red, blue or green vinyl seat trim coordinated with exterior paint colors.


Pickups have 10-inch day/night rearview mirror, LH and RH bright-metal exterior mirrors . taillights with integral stop, turn, backup lights and reflector . hub caps (except 4 x 4's and dual rear wheel units).

Ranger interiors include (in addition to or in place of Custom features) color-keyed Super-soft vinyl seat upholstery . instrument panel molding with black accent . color-keyed door panels with bright moldings . shoulder-high vinyl bolster around rear area (SuperCab) - additional insulation - color-keyed perforated headlining (insulated) with bright molding . color-keyed wall-towall nylon carpeting . black steering wheel with simulated woodgrain insert • color-keyed sun visors cigarette lighter • two courtesy lights (SuperCab). Exteriors feature bright moldings on windshield, rear window, rear quarter windows (SuperCab) and roof drip rails . bright wheel lip moldings bright hub caps (except 4 x 4 option\* and dualrear wheel units). Styleside pickups also include bright bodyside moldings with vinyl insert . bright tailgate moldings top and bottom and bright taillight bezels. Ranger trim not available Crew Cab.

Ranger XLT interiors offer (in addition to or in place of Ranger items) deluxe color-keyed, longwearing cloth and vinyl seat upholstery (Supersoft vinyl is a no-cost option) . color-keyed pleated padded upper door panels with simulated woodgrain accented moldings . color-keyed wall-to-wall cut-pile nylon carpeting (including rear storage area) . bright instrument panel molding with simulated woodgrain insert • bright seat-pivot covers . additional insulation . convenience group (intermittent windshield wipers, door map pockets, glove compartment lock and inside 12-in. day/ night mirror) . color-keyed vinyl headlining (with special insulation) and sun visors. Exteriors feature bright wheel covers (15" or 16.5" wheels except F-250 4 x 4's). Styleside pickup includes upper tailgate applique panel and molding . aluminum tailgate applique panel.

Custom Decor Group is available for Ford Custom pickups (Regular and SuperCab). This attractive option includes knitted vinyl seat trim in black, red, blue, green or tan · color-keyed floor mats with insulation · bright moldings around windshield and rear window . bright drip rail moldings . bright hub caps (except 4 x 4's\*).

\*Bright hub caps included on F-250 4 x 4 with full-time drive, but not other 4 x 4's.



Ranger XLT interior shown with optional air conditioner, SelectShift Cruise-O-Matic transmission and radio. Custom interior shown with optional SelectShift Cruise-O-Matic transmission, radio and convenience group

## COMFORT & CONVENIENCE

The closer you look, the better we look . . . just slip behind the wheel and look about. Observe all of the quality features and convenient controls. Work them and see how carefully everything is designed and positioned for your driving convenience. All controls are fully lighted, easy to see and use.

A modern, efficient blend-air type heater is standard (optional highoutput heater is standard with SuperCab). This heater offers precise temperature control and excellent heat output mixed with fresh air as desired. Optional air conditioning is integrally designed and concealed behind the instrument panel. The compact air conditioner does not even reduce the size of the large glove compartment. You'll enjoy a smart looking interior with plenty of stretch-out spaciousness.

Observe the optional Fingertip Speed Control on the steering wheel horn bar. Ford's Speed Control allows you to effortlessly maintain a constant speed on those long trips. Control disengages when you brake or actuate the switch on the steering wheel horn bar. It's available with 460-cu. in. V-8 engine.

Color-keyed, molded door trim panels have integral armrests and convenient paddle-type door handles designed right in. Window regulators are low-effort car-type for easy, reliable operation.

Even on Regular Cabs, you'll find a large in-cab storage area. This handy area is the result of having the gas tank moved outside (on most models) leaving additional in-cab space. A storage area that's 5½-ft. wide, and can hold a variety of things like tool boxes, suitcases or golf bags within the lockable cab.

Outside, look over the door. You'll find a drip molding—standard on every Ford Pickup—designed to discourage those pesky window leaks that all-too-often occur on cabs without drip moldings. And try Ford's one-hand tailgate latch. See how easy it is to open and close the sturdy double-wall tailgate.









Ranger XLT instrument panel shown with optional air conditioner, SelectShift Cruise-O-Matic and push-button radio.

## SUPERCAB VERSATILITY



Now you can have a two-door pickup that seats the whole family . . . even a family of six! Ford's familyduty SuperCab is spacious enough for a full-width back seat. SuperCab makes a big difference in interior carrying capacity, too, with 44 cu. ft. of cargo space behind the front seat. Camping gear or tools fit easily on the 51/2-ft. wide by 2-ft. long rear floor.

If you want to carry both cargo and people, you have a choice of optional arrangements. You can pick Ford's exclusive full-width rear seat that folds down to provide

a flat, steel floor for cargo. Or, Ford offers two facing jump seats that fold out of the way to clear the rear area for cargo. Ford jump seats have foam-padded seat backs as well as cushions and black seat belts.

The standard front seat with seven inches of foam padding provides room for three big adults. Seat back design allows easy access to the rear compartment from either side. Large 15 x 15-inch rear side windows are standard. Flip-open windows are optional.

SuperCabs come with 634 or 8-ft. Styleside pickup boxes or as chassis-cabs in F-100 through F-350 Series. GVW's range up to 9,350 lb. for heavy loads like slide-in or frame-mounted campers. Gross Combination Weights go up to 15,000 lb. for fifth-wheel trailers and 18,000 lb. for conventional trailers.

3 WAYS YOU CAN USE FORD'S EXTRA ROOM



1. Foam-padded full-width rear seat (optional) folds flat for cargo with durable steel back to make load floor.



2. Jump seats (optional) have foam-padded cushion and back, fold out of the way






Ford chassis-cabs are available with Regular Cab, SuperCab and Crew Cabs up to the big F-350 Series. Ford F-350 chassis-cabs combine large carrying capacity with Twin-I-Beam front suspension riding smoothness. Dual-rear tire models offer a maximum GVW rating of 10,000 lb. They are available for mounting van or other special-purpose bodies.


All sturdy Ford F-350 chassis-cab frames comply with the SAE 34-inch width standard in body areas to facilitate mounting of the body of your choice.

Regular Cabs offer 137- and 161-inch wheelbases (60- and 84-inch cab-to-rearaxle dimensions) to accommodate 9- to 12-foot bodies. Both of the 155-inch wheelbase SuperCab and Crew Cab chassis have CA's of 56 inches. Ford chassis-

cowl models are also

offered in the F-350





Styleside pickups are available in 634- and 8-ft. lengths



F-350 8-ft. Styleside and Super Camper Special (140-in. wb.)



Platform/Stakes are offered in 9- and 12-ft, lengths



Flareside 8-ft, pickups have seasoned hardwood floorboards

Camper Special Packages are designed with all the basic equipment needed for carefree camping. This equipment, which is standard on F-350 Super Camper Special pickup, includes the items listed in chart below. Simply selecting a Super Camper Special pickup or a Camper Special Package on your truck is the easy way to order all of the desirable camper equipment shown.

Series.

#### F-250/350 CAMPER SPECIAL PACKAGE (Pickups & Chassis-Cabs) (STANDARD ON F-350 SUPER CAMPER SPECIAL)

#### CAMPER SPECIAL PACKAGE INCLUDES:

- . 60 amp. alternator
- 70 amp-hr battery (80 amp-hr w/460 V-8)
- Oil pressure gauge
- Ammeter
- . Bright 6" x 10" Western long arm mirrors
  - . "Camper Special" emblem . Camper wiring harness\*
  - . Front and rear stabilizer bars
    - - except 140" wb.) . Extra cooling package

\*Includes 13-wit 7-wire (identified) scaled cable with connectors, optional HD wiring harman recommended for HD electrical usage.

. HD rear shock

. Dual electric horns

absorbers (All F-350's

MINIMUM OPTIONAL EQUIPMENT REQUIRED WITH CAMPER SPECIAL

To provide optimum performance for camper applications, a V-B engine and either a 4-speed or Cruise-O-Matic transmission are required. In addition, the following chart shows the GVW and minimum size tires needed for use with the Camper Special Package. This does not necessarily represent the maximum equipment obtainable and in many cases additional optional equipment is available for maximum Camper loads and applications. For example, the super cooling package is recommended for extended high temperature climate operation on F-250; 9.50 x 16.50 or Etires are recommended for optimum handling and stability for single rear wheel units with full-size campers.

Cab Type	Series	Package (Ib.)	Tubeless or Tube-Type		
Regular Cab	F-250	6,900	8.75 x 16.5E	7.50 x 16D	
	F-250	7,800		7.50 x 16E	
	F-250	8,000	1000-	7.50 x 16E	
	F/1150	8.050		7.50 x 16C(F) & E(R)	
	F-350 (DR)	9,500	HEED #100 100	7.50 x 16C	
	Fair (DR)	10,000		7.50 x 16C (F) & D (DR)	
SuperCab	F-250	8,100		7.50 x 16E	
	F-350	9,350	100 E3#40 I E5E		
Crew Gab	F-350	8,250		7.50 x 350 (F) & E (R)	
Service Control of the Control of th	F-350 (DR)	9,500		7.50 × 16C	
	F-350 (DR)	10,000	- The state of the	7.50 x 16C (F) & D (DR)	

If apare line is ordered, your tire size should be selected. "See note above. I -- Front. R -- Rear. DR -- Dual Rear.

*****	re .	Wheelbase (in.)			Neminal	Inside	igth housings o.) (in.)	Tailgate Opening (in.) (C)	Depth at Sides (in.) (D)	Cargo Cap'y (cu. ft.)*
SERIES		Cab	Super- Cab	Cab	Box Length Length (in.) (ft.) (A)					
STYLESIDE	F. 100	117	139	-	6%	82.0	50.8	65	19,3	61.0
PICKUPS	F-100	133	155	-	8	98.2	50,8	65	19.3	73,6
	F-150	1000	139	-	6%	82.0	50.8	65	19.3	61.0
		133	155	-	8	98.2	50.8	65	19,3	73.6
	F-250	and .	139	150	6%	82.0	50.8	65	19.3	61.0
		133	155	-	8	98.2	50.8	65	19,3	73,6
	F-350	140	155	166.5	8	98.2	50.64	65	19.3	73.6
FLARESIDE PICKUPS	F-100	133	1	13-10	- 8	96.0	46.4	-54	227	65.4
PICKUPS	E-150	WEAT		100	8	96.0	48.4	54	22.4	65.A
	F-250	G139		1000	8	96.0	46.4	54	20.1	65,4
STAKE OR PLATFORM	DUTA BASSAGE	137	-	1000	9	106.01	(C) (Sept) (C)	82.11	33,2**	
PLATFORM F-150	161	STATE OF	10-00	12	142.01	TROOP NO.	85:11	42,0**	No.	

\*Allowance made for wheelthousings #Add 3.4" for Platform #Add 3.2" for Platform \*\*Stake \*45.5" #/140" #8. \*55.1 #/140" #8.

Ford light-duty trucks are offered with a broad range of payload capacities so you can get the right truck for your job. The chart below shows how to find the pickup you need. First, select your desired pickup box (described at left) and cab type, then move to the next column for your needed payload. Next is the truck series (F-100, 150, 250 and 350) and the GVW package rating with the components included with each rating. The chart is only a general guide. Your Ford Dealer will be happy to talk over your intended truck usage and make a recommendation for your exact needs.

#### A GUIDE TO PICKUP PAYLOADS . GVW PACKAGE SELECTOR

ANNUAL DOME	Desired payload		200	Equipment included with GVW Rating				
Pickup Box langth	including driver and passengers	Series	GVW Package Rating	Front Asle	afront Springs	Hear Springs	Tires	
Regular Cab	1010 lb.	F-100	4600 fb. (std.)	2750 lb.	2500 lb.	2550 lb.	G78-15B	
6% ft.	1255 lb.	F-100	4850 lb.	2750 %.	2500 lb.	2950 lb.	078-158	
00000000	1355 fo.	F-100	4950 lb.	3300 lb.	2500 fb.	2950 lb.	G78-15B	
19023-15	1720 lb.	F-100	5350 (6.1	3300 tb.	2500 fb.	3350 lb.	G78-15D	
8 ft.	1115 m.	F-100	4800 (b. (sto.)	2750 lb.	2500 lb.	2550 lb.	G78-15B	
Market Company	1210 lb.	F-100	4900 tb.	2750 16.	2500 lb.	2950 lb.	078-150	
	1405 tb.	F-100	5100 lb.	3300 tb.	2500 lb.	2950 fb.	G78-15B	
	1275 th.	F-100	5500 th.1	3300 lb.	2500 lb.	2350 (б.	H78-15B	
	2245 tb.	F-150	6050 lb.	3300 fb.	2500 lb.	3750 lb.	L78-15D	
	2290 lb.	F-250	6200 tb. (std.)	3300 lb.	2730 lb.	4000 lb.	8.00 x 16.50	
	2970 lb.	F-250	6900 lb.*	3100 lb.	2730 lb.	4500 lb.	8.00 x 16,5E	
	3260 Rt.	F-250	7800 lb.*	3500 lb.	2900 lb.	5480 lb.	8.75 × 16.5E	
1220	3740 tb.	F-250	8000 lb.*	3500 lb.	2900 lb.	5480 lb.	8.75 × 16.5E	
B ft.	3885 fb.	F-350	8400 lb. (std.)	3850 lb.	3450 lb.	5450 lb.	8,75 x 16.5E	
	4455 lb.	F-350	9000 lb.	3650 lb.	3450 lb.	5900 lb.	9.50 x 16.5E*	
	5365 lb.	F-350	10,000 в.	3850 њ.	3450 ib.	6960 16.	12.00 x 16.5E**	
SuperCab	1340 lb.	F-100	5200 lb.	3300 lb.	2500 lb.	2950 lb.	Q78 x 158	
6% 21.	1640 lb.	F-100	5550 lb.1	3300 fb.	2680 lb.	3350 lb.	H78 x 158	
	2080 lb.	F-150	6050 lb.	3300 lb.	2500 lb.	3750 lb.	L78 x 15D	
	2285 lb.	F-250	6350 lb.	3500 lb.	2900 lb.	4000 lb.	8.00 x 16.5D	
	2765 lb.	F-250	6850 lb.	3500 lb.	2900 lb.	4500 lb.	8,00 x 16,5E	
	3510 lb.	F-250	7650 lb.	3500 lb.	2900 tb.	5480 lb.	8.75 x 16.5€	
and the same of	3465 lb.	F-250	7/100 lb.	3500 lb.	2900 lb.	5480 lb.	8.75 x 16.5E	
BH.	1250 lb.	F-100	5200 lb.	3300 lb.	2680 lb.	2950 lb.	G78 x 158	
100000	1720 lb.	F-100	5700 lb.1	3300 lb.	2680 ib.	3350 lb.	H78 x 15B	
	2020 lb.	F-150	6050 lb.	3300 lb.	2850 lb.	3750 lb.	L78 x 15B	
	2150 lb.	F-150	6200 ib.	3300 lb.	2850 lb.	3750 lb.	L78 x 15D	
	2320 lb.	F-250	6600 lb.	3500 fb.	2900 lb.	4000 lb.	8,00 x 16,5D	
	2800 lb.	F-250	7100 lb.	3500 lb.	2900 lb.	4500 lb.	8.00 x 16.5E	
	3145 lb.	F-250	7500 lb.	3500 lb.	2900 lb.	5480 lb.	8.75 x 16.5E	
	3455 lb.	F-250	8100 lb.	3850 lb.	3450 lb.	5480 lb.	9.50 x 16.5D	
	4645 lb.	F-350	9350 lb.	3850 fb.	3450 lb.	6350 lb.	9.50 x 16.5E	
Crew Cab	1715 lb.	F-250	6200 fb.	3500 lb.	3300 lb.	3950 lb.	8.00 x 16.5D	
6% /1.	2395 lb.	F-250	6900 lb.	3500 lb.	3300 lb.	4500 lb.	8,00 x 16.5E	
	3225 tb.	F-250	7800 lb.	3500 lb.	3300 lb.	5480 lb.	8,76 × 16.5E	
S ft.	2110 lb.	F-350	6850 lb.	3850 lb.	3850 lb.	4050 lb.	8,00 x 16,50	
	3395 lb.	F-350	8250 fb.	3850 tb.	3850 lb.	5450 lb.	8.75 × 16.5E	
Budy length 9 ft.	5950 lb.+1	F-350	10,000 tb. (max.)	забозь.	3450 lb.	7250 lb.	8.00 x 16.50 front	
12 ft.	5795 (6.11	F-350	10,000 lb. (mix.)	3850 lb.	3450 б.	1100 lb. Aus.	8.00 x 16.5E dual rear	
		* ND brokes includ	Name and Address of the Owner, where the Party of the Owner, where the Party of the Owner, where the Owner, which is the Owner, which is the Owner, where the Owner, where the Owner, which is the Owner, which	ASSESSMENT OF THE PERSON NAMED IN	Pear tires only, front are 9.5		only, front are 9.50 x 16.5E	

\*Power broken included \*12" x 2% " HD brokes included ... Computer selected -- minimum rating ... \*Rear tires only, front are 9.50 x 16.50 ... \*Rear tires only, front are 9.50 x 16.50 ... tifledy and paying diswances available on Ford F-350 dual rear-wheel models with a maximum GVW of 10,000 pounds

## RECREATION

Ford, the RV specialist, continues to offer vehicles specifically engineered for recreation use. From long years of experience, Ford engineers know that big camper loads and other special characteristics demand special equipment for dependable reliability. That's why Ford developed complete "Camper Special Packages" to provide all the basics most campers need. Camper Special Packages are available with F-250 and F-350 regular cabs and SuperCabsthe big cab that can seat a family of six.

The popular Ford F-350 Super Camper Special is a "Rec Vehicle" through and through. This regular cab pickup features 140-in. wheelbase and offers high-capacity "Super Single" rear tires for accommodating big slide-in campers up to 12 ft. long. Ford's longwheelbase/short-rear-overhang design distributes the optimum amount of camper weight ahead of the rear axle for good balance and roadability. GVW's range up to 10,000 pounds, and Ford attains this optional GVW rating with single rear tires. Big "Super Singles" (12,00 x 16.5 rear tires) give needed load capacity and stability without cumbersome dual tire widths. And single rear tires provide easier access than inside tires with duals should you need to change them.

The Super Camper's bodyside spare tire mount (illustrated on page 15) puts your optional spare within the right side of the pickup box wall ahead of the rear axle. An excellent location for convenient access and proper weight distribution.

The F-350 Super Camper Special includes as standard all the features shown in the Camper Special Package (page 10) plus a big 360 V-8 engine with SelectShift Cruise-O-Matic. Ford also offers Camper Special Packages for

F-250 Camper Special (Regular and SuperCab) provides a maximum GVW of 8000 lb. and 8100 lb. respectively. 133-in. wheelbase (155-in. SuperCab) allows good weight distribution with popular 8- to 11-ft. slide-in or chassis-

F-250 and F-350-pickups and chassis-cabs.

mounted campers.

F-350 Camper Special chassis-cabs (Regular Cab, Super-Cab & Crew Cab) are available for up to 12-ft, campers. The long 161-in. wheelbase Regular Cab with dual rear wheels has a GVW rating up to 10,000 lb. for camper bodies up to 14 ft. long. And because the body is mounted directly to the frame, you get a low center of gravity, and body widths up to 96 inches-from the floor straight up.


SERIES	Pickup Bux Cover (E-ft, Styleside)	Pickup- Mounted Camper	Chassis- Mounted Camper	Trailer Towing Package	
F-100 Regular & SuperCab	×		1 4	x	
F-150 Regular & SuperCab	×	**	+	×	
F-250 Regular & SuperCab	×	x	×	x	
F-250 Crew Cab	-	-	-	X	
F-350 Regular & SuperCab	×	X	×	×	
F-350 Crew Cob	X	X	×	-	



Crew Cab Pickups (F-350) take up to 11-ft. Slide-In Campers



Rear step bumper for Styleside pickups is reinforced with center plate and is drilled for a ball hitch. A bright contour rear bumper is also offered for Stylesides, and a painted channel-type rear bumper is available on Flareside pickups.




Breathable knitted vinyl seat trim for cool comfort (included in Custom Decor Group only).



SciectShift Cruise-O-Matic automatic transmission.



Bright tie-down hooks. Eight convenient cargo fie-down hooks for all pickups. Three on each side and two on tailgate.



Concealed spare tire and wheel in right side of F-350 Styleside pickup and Super Camper Special.



Western mirrors are offered with long arms or low-mount Swing-Lok (left) and swing-out, low-mount recreation mirrors (right).





texture painted roof with Black or white back-of-cab moldings. bright drip and



Flip-open (in place of fixed) rear side windows on SuperCabs. plain or tinted glass.




AM/FM storeo radio with speaker in each door or AM radio for your listoning enjoyment.


The second





Pickup box cover for 8-ft. Stylesides has strong, lightweight fiberglass construction, tinted side and rear windows, roof vent, T-handle liftgate latch with lock. Deluxe model (shown) has sliding side windows with screens, bright side and rear window moldings, dome light, Tu-Tone paint color-keyed to the most popular truck colors (and White).







Dual tape stripes extending the full length of Styleside

pickups are available in five paint-keyed colors. Bright-

metal bodyside moldings with vinyl insert (std. with Ranger

and Ranger XLT) also available.

Tool stowage box with locking door for easy-to-reach storage. Located in curbside of pickup box skirt on 8-ft. (133- or 155-in. wb.) Stylesides.

Stide-out spare tire carrier allows spare to be easily pulled out from under its frame location. Tire slides out and down at rear of pickup for easy access.





Auxiliary 12-volt 70 amphr battery with dual circuit charging system for camper applications.



Full wheel covers even with 16.5-in. wheels (except F-250 4 x 4's & F-350) or mag style for 15-in, wheels,

## **OPTIONS**

Ford offers a wide choice of options to make your driving easier and more pleasant . . . your truck more functional for your business or personal use. In addition to all of the options shown at the left, the following options are also

Convenience group (standard on XLT) with intermittent windshield wipers, glove compartment door lock, door map pockets and 12-in. day/night inside mirror • Visibility Group with cargo, engine, glove compartment, ash tray, and under instrument panel courtesy lights . Northland Special Package with engine block heater (single 400 watt element with Six and 302 V-8, dual 800 watt with 360 and larger V-8's), 50% (-35°F) antifreeze, 70 amp-hr battery, 60-amp, alternator and limited-slip rear axle • Engine block heater, single 400 watt or dual 800 watt with 360 and larger V-8's . Power front disc brakes . Power steering · High-output heater (standard on SuperCab) · Dual electric horns . Trailer towing packages (up to 10,000 lb.) Ammeter and oil pressure gauge
 Frame-anchored camper tie-down system • Heavy-Duty 50-amp. camper wiring harness (includes 60-amp. alternator) • Heavy-Duty black vinyl seat upholstery . Auxiliary fuel tanks Pickup box cover front sliding window • Custom Decor Group for Custom pickups (Regular and SuperCab) includes knitted vinyl seat trim, color-keyed floor mats with insulation, bright moldings around windshield and rear window, bright drip rail moldings, and bright hub caps (except 4 x 4's) . Locking gas cap . Protection Group with door edge and front bumper guards, and front bumper rub strip . Color-keyed removable rubber floor mats.



Sliding rear cab window (tinted glass) has an outer molding to accept a weather-seal boot between cab and camper.

### ENCINE AVAILABILITY

	Sore and	
Engine	Stroke (in.)	
300 cu. in. Six	4.0 ×3.98	51d. F-100, F-150, F-250, F-350 (Regular Cab)
302 cu, in, (2V) V-8	4,0 × 3.0	Opt, F-100 4 ± 2 (Regular Cab)
360 cu. in. (2V) V-8	4.05 x 3.50	Std. F-100 4 x 4, F-350 Styleside, SuperCab and SCS, Opt. all others
190 cu. in. (2V) V-8	4.05 x 3.78	Opt. F-100 4 x 2
390 cu, in. (4V) V-8	4.05 x 3.78	Opt. F-150, F-250, F-350 (4 x 2's)
460 cu. in. (4V) V-8	4.36 x 3.85	Opt. F-150, F-250, F-350 (4 x 2's)

## SPECIFICATIONS-COLORS

Standard Colors: Wimbledon White, Mecca Gold, Indio Tan, Castillo Red, Copper Metallic, Hatteras Green Metallic, Glen Green, Candyapple Red, Raven Black, Bali Blue, Bahama Blue, Midnight Blue Metallic, Sequoia Brown Metallic, Chrome Yellow, Ginger Glow and Medium Green Glow colors are optional. Different Tu-Tones are obtained by using all the standard colors except Chrome Yellow. Wimbledon White may be used as the accent color for any color. Consult your Ford Dealer for the other accent color combinations as well as the different ways the Styleside models may be painted. Tu-Tone applications are shown at right.

Box cover in Textured White is available on 8-ft. Styleside pickups,


Deluxe box cover has Tu-Tone paint treatment with Textured White incorporating Styleside body color as an accent with selected colors. Textured White with Wimbledon White accent color is used with other body colors.

Regular: The accent color is applied to the roof and upper back panel with a belt line molding around back of cab.

Deluxe (Stylesides only): The accent color is applied to the area below the bodyside and lower tailgate moldings which are included in this option.

Combination (Stylesides only): Regular and Deluxe Tu-Tone options are combined with the accent color applied as specified above for these two options.

White Bodyside Accent Tape Panel (Stylesides only) with all body colors except White on Ranger and Ranger XLT, and with Regular Tu-Tone White accent.



EQUIPMENT		TWO-WH	EEL DRIVE	FOUR-WHEEL DRIVE OPTION				
	F-100	F-150	F-250	F-350=	F-100 (4 x 4)	F-150 (4 x 4)	F-250 (4 x 4)	
Maximum GVW (Ib.)	5500 (5700 SC)	6050 (6200 SC)	8000 (8100 SC, 7800 CC)	10,000 (9350 SC)	5700	6400	7700	
Axie, Front	AND REAL PROPERTY.	(See GVW Paci	ages on page (3)		3300	3550	3550	
Axic, Rear: Max. Bating (ib.)	3300	3750	5300	7400	3300	1750	5300	
Brakes: Power	Opt	Std	5td standard	5(d.	Std.	514.	\$14.	
Clutch: Dia (in.)-Area (in.)	11-123.7	11-123.7	11-1210/	HE WAY	11-123.7	11-123.7	11-123.7	
Electrical: Battery (amp-hr)	B	45	District Company		45	45	45	
Optional Battery (amp-hr)	10	70	THE RESERVE AND PERSONS ASSESSED.		70	70	70	
Alternatur (smp.)	40	40		240	40	40	40	
Optional Alternator (amp.)	A STATE OF THE PARTY OF THE PAR	55	6		60	60	60	
Engine: Displacement	300 Six	300 Six	300 Sec	(360 V-8 SC & S)	360 V-8	300 Six	300 Six	
Optional	302 V-8 (RC), 360 V-8 290 V-8	350 V-8 390 V-8 460 V-8	360 V-8 392 V-8 660 V-8	350 V-8 460 V-8	-	360 V-8	360 V-8	
Shock Absorbers	Front & Rear	Front & Rear	F & R (HQ Rear CC)	Front (F. & R SC)	Front & Rear	Front & Rear	Front & Rear	
Optional	HO	90	10	HD (MM, 505, S)	HD	HD	HD	
Springs	THE RESERVE THE PERSON NAMED IN	ee GVW Packages on p	ege II - Computer Selected	THE PERSON NAMED IN	Computer Selected			
Steering: Optional	CONTRACTOR DESCRIPTION		Integral Power	The second second	Integral Power Linkage			
Transfer Case	A CHICAGO IN THE PARTY NAMED IN	THE RELIGION	-	CONTRACTOR OF STREET	I-Speed	2-Speed	2-5-peed	
Optional 2-Speed	The second second second	COMPANY - CONTRACTOR	SHARE WAS ASSESSED.		Z-Spd.*; Full-Time 4-Wheel Drive (Regular Cab			
Transmission	J-Spd, Sync	3-Spd. Sync	3-Spd. Sync	4-Speed	4-Speed	4-Speed	4-Speed	
Optional	d-Spd. Cruise-O-Matic	4-Spd., Cruise-O-Matin	4-5pd., Crome-0-Marie	Cruine-O-Maric	Cruise-O-Matic	Crusse-O-Matic	Craine-Q-Matic	
Wheels: Type-Rim Sire	(5) 5-Hote 5.5K	(5) 5-Hole-6.0	(4) #-Hote = 6.0	(A) B-Mole-6,0 (6,75 SC, 5)	(5) 5-Hole—5.5K	13) 5-Hole6.0	(4) 8-Hole — 6.0	
Tires: Tubeless	678-158 PT	178-150 PT	8.00 x 16.50 TI	8.00 x 16.50 TT+	H78-158 PT	L78-158 PT	8.00 x 16.50 TT	
Optional	Both tubeless and	lube-type-including R/	DIALS in sizes to match	AVW requirements: Use:	adequate tires for loads.	and type of service. Con-	uit your Ford Dealer	

■F-350 Super Camper Special specifications include as standard: 360 V-8, SelectShift Cruise-0-Matic transmission, 70 amp-hr battery, 60 amp, alternator, and other items as shown on pages 10 and 12. RC-Regular Cat. SC—SuperCab. CC—Crew Cab. S=140° wb, Styleside Pickup. Pf; Passonger Type. TT = Truck Type. \*F-100 New Process 205 with part-time drive. 19 50 x 16-56 with SuperCab, and 8.75 x 16-56 with Super Camper Special and Styleside Pickup.

Specifications, descriptions and illustrative material contained herein were as accurate as known at the time this publication was approved for printing. Ford Division reserves the right to discontinue models or options at any time or change specifications, equipment or design without notice and without incurring obligation. Specifications, equipment are applicable to units sold in the United States, its territories and possessions and may vary outside these areas. Some of the vehicle colors and point combinations illustrated are special order options only. Truck body installations and modifications are reterritories and possessions and modifications are reterritories and possessions. All options are at extracost some options are required in combination. All options and accessories illustrated or referred to as optional or available in this publication are at extra cost. Some options are required in combination with other options. For the price of the model with the equipment you desire or verification of specifications contained herein, see your Ford Dealer.

THE CLOSER YOU LOOK, THE BETTER WE LOOK



FORD PICKUPS

