

SPRINTER

STANDING TALL

What is Sprinter? It's your work week, your high mileage long haul companion and your most reliable partner on the job.

Check out the bold look and powerful performance of Dodge Sprinter.

- Interior and Exterior Features
- Color Options
- Dimensions and Capacities



SPRINTER FEATURES



ENGINES

All-new 2007 Dodge Sprinter is powered by a strong standard 3.0-liter V6 commonrail direct injection (CRD) Turbodiesel engine that combines long life, low maintenance costs, and excellent fuel efficiency with smooth, clean, quiet performance. An optional 3.5-liter V6 gasoline engine blasts 254-horsepower and 250 pound-feet of torque with powerful pickup and smooth, even action. Both give you the tight handling performance and feel of an automobile.



CARGO PROTECTION

You'll know your loads are secure with the available Cargo Protection load-securing system, which helps reduce the risk of an accident caused by shifting loads. If features available securing rails bolted to the underlying structure and lashing rails bonded to the sides and just below the roof frame.



LOW STEP-IN HEIGHT

With all-new 2007 Dodge Sprinter you'll have ease of access in excess. This is evident in every detail, such as the best-in-class* lowest side step-in height of any full-size van—as low as 19.9 inches at the side. The available low step for rear entry makes it even easier to get a leg up.

*Based on Automotive News classification. When properly equipped.



SUSPENSION

With its poised, precise, assured handling, 2007 Dodge Sprinter drives more like a comfortable, high-spirited car than a business van. Responsive power-assisted rack-and-pinion steering, rear-wheel drive, and adaptive ESP* all help Dodge Sprinter exhibit excellent control under various load conditions.

*Always drive carefully, consistent with conditions. Always wear your seat belt and obey traffic laws.



SPRINTER CONVENIENCES



CAR-LIKE FEEL AND APPEAL

It's true. 2007 Dodge Sprinter Cargo Van hauls like a truck — with a best-in-class* available payload and superior hauling capability (up to 5,570 pounds). But that doesn't mean it feels like a truck behind the wheel. The seating. The console. The visual appeal. The drivability. They're all design to create a car-like atmosphere that makes the driver's life on the job more enjoyable. Plus, the shift mechanism and right-sized tilt/telescope steering wheel both have a surprisingly car-like feel. What's not to like?

*Based on Automotive News Classification.



AIR-BAG PROTECTION

Inside the Dodge 2007 Sprinter, the restraint systems—seat belts and air bags—work together to deliver a coordinated response and effective occupant protection. Standard front air bags* with available supplemental side curtain air bags* and available thorax air bag* reduce the risk of injuries in the event of a frontal collision. Seat belts are standard on all seats.

*Always sit properly in the seat with the seat belt fastened.



INSTRUMENT CLUSTER

Clear communication is the key to user friendliness and on-the-road safety. Dodge Sprinter auges are sophisticated and cleanly organized for at-a-glance monitoring. Whether you choose the standard or available high-line instrument cluster, you get a two-part Liquid Crystal Display (LCD) with segmented analog tachometer and speedometer. The high-line version has multifunction steering wheel controls.



STEREOS

Turn on your stereo and get ready to rock the road with one of two high-quality speaker systems: 1) The basic system—two woofers in the doors with two tweeters and a center speaker in the instrument panel; 2) the basic system plus four woofers and four tweeters in the rear sidewall/sliding door.

SLIDING DOORS

The 2007 Dodge Sprinter Cargo Van side doors open 51.2 inches to provide ample room for easy loading and unloading. A windowless sliding door on the passenger side is standard, but you can opt out for a passenger-side sliding door with a fixed or sliding window. Want more doors? Add one of the optional driver's-side sliding doors for access on both sides.



COLOR & WHEELS



ARCTIC WHITE



CALCITE YELLOW



SILVER GRAY



VELVET RED



HIBISCUS RED



BLACK BLUE



VANDA BLUE



STONE GRAY



BRILLIANT SILVER METALLIC



STEEL BLUE



BLACK GRAY



FLAME RED



CARBON BLACK METALLIC



AQUA GREEN



BRILLIANT BLUE



JET BLACK



AMBER RED METALLIC



GRAPHITE GRAY



GRAPHITE METALLIC



JASPER BLUE METALLIC







A) 16"x6.5" Steel Wheel. Standard on 2500 models

B) 16"x6.5" Aluminum Wheel. Available on 2500 models

C) 16"x5.5" Steel Wheel. Standard on 3500 models (front wheel)

D) 16"x5.5" Steel Wheel. Standard on 3500 models (rear wheel)








A) Brassao Fabric in Black. Standard on all Cargo and Chassis Cab models


B) Brassao Fabric in Gray. Standard on Passenger Van; Available on Cargo Van and Chassis Cab models




















3.o-LITER V6 CDI TURBO DIESEL ENGINE




3.5-LITER V6
GASOLINE ENGINE





- 154 horsepower @ 3,400 rpm
- 280 lb-ft of torque @ 1,200-2,400 rpm



- 254 horsepower @ 5,900 rpm
- 250 lb-ft of torque @ 2,500-5,000 rpm

INTERIOR DIMENSIONS AND CAPACITIES (1)

	CARGO VAN								ı	PASSENGER VAN			CHASSIS CAB	
	2500 STANDARD	2500 HIGH ROOF			2500 MEGA ROOF	3500 HIGH			3500 MEGA ROOF	2500 STANDARD	2500 HIGH ROOF		3500 STANDARD	
	144" WB	144" WB	170 " WB	170" WB	170 " WB	ROOF 144" WB	170 " WB	170 " WB EXT	170 " WB EXT	144" WB	144" WB	170 " WB	ROOF 144" WB	170 " WB
				EXT										
TURNING DIAMETER (FT)	47.6	47.6	54.6	54.6	54.6	47.6	54.6	54.6	54.6	47.6	47.6	54.6	47.6	54.6
GROUND TO SLIDING DOOR STEP	20.2	20.2	19.9	19.9	19.9	22.0	21.2	21.2	21.2	20.2	20.2	19.9	_	_
— Side														
LOAD HEIGHT — Rear	27.6	27.6	27.4	27.2	27.4	31.1	30.9	30.9	30.9	27.6	27.6	27.4	_	_
DOOR OPENING — Side	59.8	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7	59.8	71.7	71.7	_	_
DOOR OPENING — Rear	60.6	72.4	72.4	72.4	72.4	72.4	72.4	72.4	72.4	60.6	72.4	72.4	_	_
DOOR WIDTH — Side	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	_	_
DOOR WIDTH — Rear	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	_	_
CARGO BED LENGTH ⁽²⁾	128.5	128.5	169.3	185.0	169.3	128.5	169.3	185.0	185.0	32.5	32.5	73.2	_	_
CARGO WIDTH AT WHEELHOUSE	53.1	53.1	53.1	53.1	53.1	38.5	38.5	38.5	38.5	53.1	53.1	53.1	_	_
MAXIMUM WIDTH AT FLOOR	70.1	70.1	70.1	70.1	70.1	70.1	70.1	70.1	70.1	70.1	70.1	70.1	_	_
INTERIOR HEIGHT	65.0	76.4	76.4	76.4	84.3	76.4	76.4	76.4	84.3	65.0	76.4	76.4	_	_
CARGO VOLUME (CU FT)(2)	318.0	371.0	494.0	547.0	530.0	371.0	494.0	547.0	600.0	141.3	158.9	187.2	_	_
MAXIMUM AVAILABLE GVWR (LB)	8,550	8,550	8,550	8,550	8,550	11,030	11,030	11,030	11,030	8,550	8,550	8,550	11,030	11,030
BASE CURB WEIGHT (LB)	4,784	4,936	5,267	5,395	5,326	5,460	5,862	5,978	6,041	5,476	5,555	5,948	4,487	4,570
MAXIMUM PAYLOAD (LB)	3,766	3,614	3,283	3,155	3,224	5,570	5,168	5,052	4,989	3,074	2,995	2,602	6,543	6,460
MAXIMUM TOWING (LB)	5,000	5,000	5,000	5,000	5,000	7,500	7,500	7,500	7,500	5,000	5,000	5,000	7,500	7,500
MAXIMUM AVAILABLE GCWR (LB)	13,550	13,550	13,550	13,550	13,550	18,530	18,530	18,530	18,530	13,550	13,550	13,550	18,530	18,530
FUEL TANK CAPACITY (GAL)	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
(1) Inches unless otherwise specified.														



		ENGER AN	CARGO VAN							SIS CAB
	25	00		2500)		350	3500		
	144" WB	170" WB	144" WB	170" WB	170" WB EXTENDED	144" WB	170" WB	170" WB EXTENDED	144" WB	170" WB
ENGINE AND TRANSMISSION	2L53	2L55	2L13	2L15	2L17	3L13	3L15	3L17	3L03	3L05
3.oL CDI TURBO DIESEL V6/5-SPEED AUTOMATIC WITH AUTOSTICK®	•	•	•	•	•	•	•	•	•	•
3.5L GAS V6/5-SPEED AUTOMATIC WITH AUTOSTICK	0	0	0	0	0	N/A	N/A	N/A	N/A	N/A
INTERIOR/COMFORT/CONVENIENCE										
27B — Includes luxury driver's and front- passenger bucket seats, hinged lid for center stack bin, driver's seat base power outlet, and locking glove box (Passenger Van also includes Light Group, right and left rear-seat armrest, rear door window wiper/washer, and rear-seat cup holders)	0	0	0	0	0	0	0	0	0	0
ACCESSORY GROUP — Includes high-pressure headlamp washer, rain and light sensor, fog lamps and HID (High-Intensity Discharge) headlamps	0	0	0	0	О	0	0	О	0	0
AUXILIARY FRONT HEATING GROUP — (Diesel only) Includes auxiliary front remote control heater (requires Base Insulation Group and rear floor insulation)	0	0	0	0	0	0	0	0	0	0
AUXILIARY HEATER — Electric powered	•	•	•	•	•	•	•	•	•	•
 Front (Diesel only); 3 available (5 kw, 5 kw with timer, and dual-function 5/10 kw with timer) 	0	0	0	0	0	0	0	0	0	0
— Rear (included with Cold Climate Comfort Group I)	O/P	O/P	0	0	0	0	0	0		
CARGO GROUP I — Includes right and left rear- passenger assist handles, lashing rail accessory straps, rear cargo tie-down and full van interior lining panels			0	0	0	0	0	0		
CARGO GROUP II — Includes right and left rear- passenger assist handles, lashing rail accessory straps, rear cargo tie-down, and half-laminated wood cargo panels			0	0	0	0	0	О		
CARGO PANELS — Half fiberboard (includes rear door storage net)			0	0	О	0	0	0		
— Half-laminated wood (included with Cargo Group II)			Р	Р	Р	Р	Р	Р		
CARGO PARTITION — Separates front cabin from cargo area with a metal partition (includes B-pillar handle)			0	0	О	0	0	О		
C-pillar (requires high roof) (includes black rubber rear floor covering and under roof panelling) (not available with other cargo partitions)			0	0	О	0	0	О		
 Cargo partition provisions (includes B-pillar handle) 			0	0	0	0	0	0		
 Cargo partition with sliding door — Deletes passenger air bag, passenger seat (includes B-pillar handle) 			0	0	0	0	0	О		
Cargo partition with sliding window (includes B-pillar handle)			0	0	0	0	0	0		
 Cargo partition with window (includes B-pillar handle) 			0	0	0	0	0	0		
CARGO TIE-DOWN RAIL SYSTEM — Rear (not available with wood floor delete, or cargo partition with sliding door)			0	0	0	0	0	0		



		ENGER AN	CARGO VAN							CHASSIS CAB	
	25	00		2500)	3500			3500		
INTERIOR/COMFORT/CONVENIENCE (CONTINUED)	144" WB	170" WB	144" WB	170" WB	170" WB EXTENDED	144" WB	170" WB	170" WB EXTENDED	144" WB	170" WB	
COLD CLIMATE COMFORT GROUP I — Includes heated windshield (power heated mirrors on Cargo Van and Chassis Cab) (rear auxiliary heater on Passenger Van), heated driver's and front-passenger seats	0	0	0	0	0	0	0	o	0	0	
CONTRACTOR GROUP — Includes 220-amp alternator, auxiliary battery, auxiliary battery disconnect relay, 2 additional keys, driver's seat base power outlet, fire extinguisher, reflecting triangle, road hazard warning lamp			0	0	0	0	0	0	0	0	
COOLING GROUP — Includes 95-amp high- density, maintenence-free battery and heavy- duty rear air conditioning (deletes 100-amp battery) on Passenger Van; on Cargo Van, includes electric roof fan	0	0	0	0	0	0	0	0			
CREW VAN GROUP — Includes Window Group I, 3-passenger 1st-row rear bench seat, Passenger Van floor			0	0	О	0	0	0			
GLASS — Tinted windshield	•	•	•	•	•	•	•	•	•	•	
Sunscreen (tinted) (requires rear door window defroster and requires one of the Window Groups, rear door windows, or rear window wiper/washer on Cargo Van)	•	•	O/P	0/P	0/P	O/P	O/P	0/P			
Glazing, Cargo Van (requires Window Group IV)	•	•	0	0	0	0	0	0			
INSULATION — Rear floor (included with Base Insulation Group) (requires Cargo Group I and II on Cargo Van)	Р	Р	0	0	0	0	0	0			
LIGHT GROUP — Includes overhead console with 2 reading lamps, courtesy lamps (rear convenience lighting included with Passenger Van) (included in 2TB)	0/P	O/P	0	0	O	0	0	0			
PANELING — Under roof (included with 3- passenger 1st-row rear bench seat, C-pillar cargo partition, rear convenience lighting, and window pillar paneling on Cargo Van)	•	•	Р	Р	Р	Р	Р	Р			
PANELS — Full fiberboard panel side (included with Cargo Group II) (requires one of the available cargo partitions)			Р	Р	P	Р	Р	Р			
— Half fiberboard panel side			O/P	O/P	0/P	O/P	O/P	O/P			
RAILS — Lashing (sidewall-mounted tie-down system)			O/P	O/P	O/P	O/P	O/P	O/P			
Cargo tie-down (floor-mounted tie-down system)			0/P	0/P	O/P	O/P	O/P	O/P			
ROOF FAN — Electric (included in Cooling Group)			Р	Р	Р	Р	Р	Р			
SEAT(S) — Cloth-faced reclining driver and front-passenger bucket seats with armrests and headrests in Black			•	•	•	•	•	•	•	•	
Cloth-faced reclining driver's bucket with armrests and headrest in Gray	•	•	0	0	0	0	0	0	0	0	
— Vinyl high-back bucket seats in Black	0	0	0	0	0	0	0	0	0	0	
— Passenger	•	•	•	•	•	•	•	•	•	•	
 Luxury bucket, driver's (includes comfort headrest) (included in 2TB) 	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	
 Luxury bucket, front-passenger (includes comfort headrest) (included with 2TB) 	O/P	0/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	



DODGE SPRINTER (CONTINUED)		ENGER AN		CHASSIS CAB						
	25	00		2500	,		350	3500		
EXTERIOR	144" WB	170" WB	144" WB	170" WB	170" WB EXTENDED	144" WB	170" WB	170" WB EXTENDED	144" WB	170" WB
Driver suspension (includes comfort headrest) (included with Comfort Seating Group)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
 Passenger suspension (includes comfort headrest) (included with Comfort Seating Group) (requires driver suspension seat) (not available with partition with sliding door) 	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Dual front-passenger (includes interior assist handle) (not available with luxury bucket seats or Crew Van Group)			0	0	0	0	0	О	0	0
— Heated, driver (included with Cold Climate Comfort Groups I and II)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
 Heated, front-passenger (included with Cold Climate Comfort Groups I and II) (requires heated driver's seat) 	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
 2-passenger 1st-row rear bench (includes child seat anchor system [LATCH ready]) 	Р	Р								
 3-passenger 1st-row rear bench (includes child seat anchor system [LATCH ready]) 	•	•								
 2-passenger 2nd-row rear bench (includes child seat anchor system [LATCH ready]) 	•	•								
— 3-passenger 3rd-row rear bench	•	•								
 7-passenger seating (includes 3-passenger 1st-row rear bench and 2-passenger 2nd-row rear bench seats) 	0	0								
 8-passenger seating (includes 3-passenger 1st-row rear bench and 3-passenger 2nd-row rear bench seats) 	0	0								
 9-passenger seating (includes 2-passenger 1st-row rear bench, 2-passenger 2nd-row rear bench and 3-passenger 3rd-row rear bench seats) 	0	0								
 10-passenger seating (includes 3-passenger 1st-row rear bench, 2-passenger 2nd-row rear bench and 3-passenger 3rd-row rear bench seats) 	•	•								
 Crew Van seating — 3-passenger 1st-row rear bench seat 			Р	Р	Р	Р	Р	Р		
SOUND/ENTERTAINMENT — AM/FM stereo with CD player (includes 5 front, and on Passenger Van, includes 8 rear speakers) (not available with 6-disc changer)	•	•	•	•	•	•	•	•	•	•
 AM/FM stereo with CD player (includes 5 front, and on Passenger Van, includes 8 rear speakers) (RBV) (Included with Premium Sound Group I) 	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
 6-disc CD changer (included with Premium Sound Group I) 	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
TRIM — Rear wall (included with Base Insulation Group with cargo partition) (requires cargo partition, cargo partition with window or cargo partition with sliding window)			O/P	O/P	0/P	O/P	O/P	0/P	0/P	O/P
SAFETY/SECURITY										
AIR BAGS ⁽ⁱ⁾	•	•	•	•	•	•	•	•	•	•
Driver and front-passengerSupplemental front driver, side	0	0	0	0	0	0	0	0	0	0
Supplemental front-passenger (included with Security Group) (not available with dual front-passenger seat)	O/P	O/P	O/P	O/P	O/P	0/P	O/P	O/P	O/P	O/P



		ENGER AN	CARGO VAN							CHASSIS CAB	
	2500			2500)	3500			3500		
PERFORMANCE/FUNCTIONAL (CONTINUED)	144" WB	170" WB	144" WB	170" WB	170" WB EXTENDED	144" WB	170" WB	170" WB EXTENDED	144" WB	170" WB	
 Supplemental side-curtain, front (included in Security Group) (not available with delete roof and rear wall on Chassis Cab) 	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	
Front-passenger air bag delete (included with passenger jump seat and cargo partition with sliding door)			Р	Р	Р	Р	Р	Р			
ALARM — Rear, back-up	0	0	0	0	0	0	0	0	0	0	
BACK-UP CAMERA PREP — Rear	0	0	0	0	0	0	0	0			
FIRST AID KIT — Included in Security Group	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	
LAMP — Tire Pressure Monitoring Warning	•	•	•	•	•						
 Road Hazard Warning (included in Security Group and Contractor Group) 	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	0/P	O/P	
PARKSENSE®(2) — Front/Rear Back-Up System	0	0	0	0	0	0	0	0			
SEAT BELTS — 3-point seat belts with pyrotechnic belt tensioners and belt force limiters for the driver and front passenger and 5-position manual height adjusters on the B-pillars	•	•	•	•	•	•	•	•	•	•	
SECURITY ALARM — Includes overhead console with 2 reading lamps (included in Security Group)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	
SECURITY GROUP — Includes supplemental front-seat side air bags, supplemental front side-curtain air bags, puncture sealant and portable air compressor, security alarm, first aid kit, and road hazard warning lamp	0	0	0	0	0	0	0	0	0	0	
WARNING CHIMES — Headlamps on	•	•	•	•	•	•	•	•	•	•	
DOOR(S) — Right, sliding	•	•	•	•	•	•	•	•			
— Left, sliding (no glass)			0	0	0	0	0	0			
— 2-stage sliding, interlocking	0	0	0	0	0	0	0	0			
Rear, hinged with magnetic catches (270- degree opening)	•	•	•	•	•	•	•	•			

^{• =} Included P = Available within package noted 0 = Optional

(1) Always use seat belts. Dodge Sprinter Cargo and Chassis Cab vans are equipped only with front seats and should not be used to carry children 12 and under. In Dodge Sprinter Passenger Van children 12 and under should be in a backseat correctly using an infant or child restraint system, or the seat belt positioned correctly for the child's age and size. (2) Always check entire surroundings before backing up. (3) No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the speedometer flashes, the driver needs to use less throttle, and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt.



Chrysler Financial

If your business relies on vehicles, Dodge **BusinessLink®** dealers can keep your business rolling. For more, log onto dodge. com/businesslink or call us toll-free at **877-2THELINK** (877-284-3546).

Much of our work is to help your business through creative financing of vehicle leases and purchases. Your **Business***Link* Account Manager, working with the **Business Vehicle Finance (BVF)** department of DaimlerChrysler, can give your business a solid boost, including a variety of specialized commercial financing options. Be sure to discuss the many programs tailor-made for your needs. There's more at **877-2THELINK** (877-284-3546).

3-YEAR/36,000-MILE BASIC LIMITED WARRANTY

All Dodge vehicles are covered by the DaimlerChrysler 3-year/36,000-mile Basic Limited Warranty. See your Dodge dealer for a copy of this limited warranty. Excludes normal maintenance and wear items.

5-YEAR/100,000-MILE DIESEL ENGINE LIMITED WARRANTY

The Turbo Diesel engine used in Dodge Sprinter is protected by a separate Diesel Engine Limited Warranty, covering the engine for 5 years or 100,000 miles, whichever comes first. See your Dodge Sprinter dealer for complete details

5-YEAR/100,000-MILE LIMITED OUTER-BODY ANTI-CORROSION WARRANTY

The Dodge Sprinter outer finish-painted metal panels are covered by the DaimlerChrysler 5-year/100,000-mile limited anti-corrosion perforation warranty. See dealer for a copy of this limited warranty.

About this catalog: Since the time of printing, some of the information you'll find in this catalog may have been updated. Ask your dealer for details. Some of the equipment shown or described throughout this catalog is available at extra cost. Specifications, descriptions, illustrative materials, and all competitive comparisons contained herein are as accurate as known at the time this publication was approved for printing. DaimlerChrysler Corporation reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Some options are required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Dodge Sprinter dealer. Dodge and ParkSense are registered trademarks of DaimlerChrysler Corporation.